




Steps to Selecting Concealed Cabinet Hinges...


1. Determine cabinet construction:



Face Frame/Traditional


Frameless/European

3. Fastening hinge to baseplate methods:



Snap-on


Snaps-on to baseplate for quickest installation



Slide-on


Hinge slides onto baseplate and fastens with screw.

5. Hinge cup and baseplate fastening:



Screw-on

Euro screws
Wood screws



Doweled

For automatic machine insertion

2. Select door opening angle:

95°-100°


Retractable doors, cabinets next to wall or obstruction.

110°-120°

Additional cabinet access.


165°-175°

Cabinets with drawer pullout, most access.




Cabinet Hinge Angles

4. Door Installation:




Full Overlay

Door covers front of side panel.



Half Overlay

Door covers half of the side panel. Also for use when two doors share one panel.



Inset


Door is installed so that side panel edge and door front will be flush.

Hinge Boring Bits

Look in the Fasteners & Cutting Tool Section



We have specialty hinges for Diagonal & Blind Corners




For additional information on hinges, please contact our technical department

EH100 DAVE SANDERS DIRECT

Features

- Integrated side adjustment
- For door thickness up to 18 mm
- 35 mm steel cup
- Self-closing



A quality hinge at an unbelievable price!



110° Slide on Hinge



Ordering Info

Price each (hinge w/ plate)

Item	Overlay	1-99	100-499	500+
EH100	Full	\$1.02	\$.80	Call
EH103	Half	1.10	.87	Call
EH105	Inset	1.21	1.05	Call

Price Includes Baseplate!

- Check out **Functional Cabinet Hardware**
- Check out **Fasteners & Cutting Tools**

All Salice Hinges Can Use Either Snap-On or Slide-On Baseplates


SALICE

200 Series


Features

- Cup drilling distance 3 mm – 6 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.

120° Hinge



Full Overlay



Ordering Info

Door Application	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
Full Overlay	F/S	Screw	C2P8A99	\$2.07	\$1.87	Call
	F/S	Dowel	C2R8A99	2.16	1.95	Call
	S/C	Screw	C2P9A99	1.91	1.72	Call
	S/C	Dowel	C2R9A99	2.01	1.81	Call
Half Overlay	S/C	Screw	C2P9G99	1.91	1.72	Call
	F/S	Dowel	C2R8G99	2.16	1.95	Call
	S/C	Dowel	C2R9G99	2.09	1.89	Call

#6 x 5/8" screw recommended for fastening (not included).



Half Overlay


SALICE

200 Series


Features

- Cup drilling distance 3 mm – 6 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.


110° Hinge



Half Overlay



Full Overlay



Inset

Ordering Info

Door Application	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
Full Overlay	F/S	Screw	C2P4A99	\$1.83	\$1.65	Call
	F/S	Dowel	C2R4A99	1.91	1.72	Call
	S/C	Screw	C2P6A99	1.68	1.51	Call
	S/C	Dowel	C2R6A99	1.78	1.61	Call
Half Overlay	S/C	Screw	C2P6G99	1.91	1.72	Call
	F/S	Dowel	C2R4G99	1.99	1.81	Call
	S/C	Dowel	C2R6G99	1.86	1.68	Call
Inset*	F/S	Screw	C2P4P99	1.98	1.78	Call
	S/C	Screw	C2P6P99	1.98	1.78	Call

* Uses 3mm baseplate only

#6 x 5/8" screw recommended for fastening (not included).


SALICE

200 Series

Features

- Cup drilling distance 3 mm – 8 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.


94° Hinge



Half Overlay



Full Overlay



Inset

Ordering Info

Door Application	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
Full Overlay	F/S	Screw	C2P5A99	\$1.83	\$1.65	Call
	S/C	Screw	C2P7A99	1.91	1.72	Call
	S/C	Dowel	C2R7A99	1.99	1.81	Call
Half Overlay	F/S	Screw	C2P5G99	1.91	1.72	Call
	S/C	Screw	C2P7G99	1.99	1.81	Call
Inset*	F/S	Dowel	C2P5P99	1.99	1.81	Call
	S/C	Screw	C2P7P99	2.06	1.86	Call

* Uses 3mm baseplate only

#6 x 5/8" screw recommended for fastening (not included).

Reduction Clip Available

- Reduces the opening angle of the door





SALICE

200 Series Features

- Cup drilling distance 3 mm – 8 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.


165° Hinge



Full Overlay



Half Overlay



Inset



Ordering Info

Door Application	Closing Method	Cup Fastening	Item Number	Price Each		
				1-99	100-299	300+
Full Overlay	F/S	Screw	C2PEA99	\$4.85	\$4.38	Call
	F/S	Dowel	C2REA99	4.59	4.14	Call
	S/C	Screw	C2PFA99	4.70	4.23	Call
	S/C	Dowel	C2RFA99	4.81	4.34	Call
Half Overlay	F/S	Screw	C2PEG99	4.85	4.38	Call
	S/C	Screw	C2PFG99	5.42	4.88	Call
Inset	F/S	Screw	C2PEP99	4.85	4.38	Call
	S/C	Screw	C2PFP99	6.81	6.13	Call

#6 x 5/8" screw recommended for fastening (not included).

Reduction Clip

- Limits the 165° hinge to a 125° opening.

Item	1-99	100-299	300+
S2AF37X3	\$.40	.36	Call





SALICE


F Series For Doors up to 1½" Thick Features

- Cup drilling distance 3 mm – 15 mm
- Side adjustment -0.5 mm – +5.5 mm
- 40 mm cup dia.


94° Hinge For Thick Doors



Half Overlay



Full Overlay



Inset

Ordering Info

Door Application	Closing Method	Cup Fastening	Item Number	Price Each		
				1-99	100-299	300+
Full Overlay	F/S	Screw	CFA5A99	\$3.34	\$3.00	Call
	S/C	Screw	CFA7A99	3.42	3.08	Call
Half Overlay	F/S	Screw	CFA5G99	3.46	3.12	Call
	S/C	Screw	CFA7G99	3.54	3.19	Call
Inset	F/S	Screw	CFA5P99	3.65	3.29	Call
	S/C	Screw	CFA7P99	3.73	3.36	Call

#6 x 5/8" screw recommended for fastening (not included).


SALICE Face Frame Hinges

Features

- Fixed Cup drilling distance 2.5 mm
- 35 mm cup dia.
- Height adj. ±2.5 mm
- Cup depth 11 mm
- The following adjustments are made with an eccentric cam:
- Depth adjustment ±2.5 mm
- Side adjustment ±1.5 mm

Small Overlay

106° Face Frame



Ordering Info

Overlay Distance	Closing Method	Cup Fastening	Item Number	Price Each		
				1-99	100-299	300+
¼" Overlay	S/C	Screw	CSP3Y99	\$1.67	\$1.50	Call
	S/C	Dowel	CSR3Y99	1.76	1.58	Call
½" Overlay	S/C	Screw	CSP3799	1.61	1.45	Call
	S/C	Dowel	CSR3799	1.63	1.47	Call
¾" Overlay	S/C	Screw	CSP3499	1.61	1.45	Call
	S/C	Dowel	CSR3499	1.63	1.47	Call

#10 x 3/4" screw recommended for fastening (not included).

No Baseplate Required

- Check out Slides & Swivels
- Check out Decorative Pulls & Knobs


SALICE Face Frame Hinges

Features

- Fixed Cup drilling distance 2.5 mm
- 35 mm cup dia.
- Height adj. ± 2.5 mm
- Cup depth 11 mm
- The following adjustments are made with an eccentric cam:
Depth adjustment ± 2.5 mm
Side adjustment ± 1.5 mm

No Baseplate Required

Large Overlay
106° Face Frame



Ordering Info				Price Each		
Overlay Distance	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
1½" Overlay	S/C	Dowel	CSR3A99	1.76	1.58	Call
1¾" Overlay	S/C	Dowel	CSR3C99	1.76	1.58	Call

#10 x ¾" screw recommended for fastening (not included).

SALICE Specialty Hinges

Features

- Cup drilling distance 3 mm – 8 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.



30° Corner



45° Corner



Blind Corner

Ordering Info				Price Each		
Door Opening	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
30°	S/C	Dowel	C2R7E99	\$3.18	\$2.86	Call
45°	S/C	Dowel	C2R7M99AC	2.13	1.84	Call
Blind Corner	S/C	Dowel	C2R7N99AC	2.25	1.94	Call

#6 x ⅝" screw recommended for fastening (not included).

SALICE Specialty Hinges

Features

- Cup drilling distance 4 mm
- 35 mm cup dia.
- Side adjustment 1 mm




Pie Corner

door thickness	mtg. plate height	drilling distance for cruciform mtg. plate
16 mm	6 mm	31 mm
19 mm	3 mm	28 mm
22 mm	0 mm	25 mm

Ordering Info				Price Each		
Door Opening	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
Pie Corner	S/C	Dowel	C2RYA99	\$4.59	\$4.13	Call


#6 x ⅝" screw recommended for fastening (not included).




SALICE Negative Angle Hinges

Features

- Cup drilling distance 3 mm – 6 mm
- Side adjustment -1.5 mm – +4.5 mm
- 35 mm cup dia.



-30° Opening



-45° Opening

Ordering Info				Price Each		
Door Opening	Closing Method	Cup Fastening	Item Number	1-99	100-299	300+
-30°	S/C	Dowel	C2R7W99	\$3.19	\$2.87	Call
-45°	S/C	Dowel	C2R7H99	3.19	2.87	Call

#6 x ⅝" screw recommended for fastening (not included).



SALICE

Slide-on Mounting Plate System

3-Way Adjustments

Features


- Depth adjustment +2.8 mm
- Height adjustment ± 2 mm
- All baseplates can be used with all hinges

Steel
B2V3H09
B2V3H39



Height adjusts by cam

Die-cast
B2R3E09
B2R3E39
B2R3E69
B2R3E99



Ordering Info

Height	Item Number	Price Each		
		1-99	100-299	300+
0mm	B2V3H09	\$.38	\$.35	Call
3mm	B2V3H39	.40	.36	Call
0mm	B2R3E09	.64	.58	Call
3mm	B2R3E39	.82	.74	Call
6mm	B2R3E69	.96	.85	Call
9mm	B2R3E99	1.05	.95	Call
Specialty Assembly				
	B2V3BW9	1.22	1.10	Call
	B2V3BW9R	1.66	1.50	Call
	B2V3BW9S	2.13	1.92	Call

Specialty Assembly

Slide-on Mounting Plate System

3-Way Adjustments

An almost infinite variety of angled door applications is possible using variable-angle mounting plates in conjunction with one of Salice's range of angled-arm hinges.

Die-cast



B2V3BW9

Die-cast



B2V3BW9R

Die-cast



B2V3BW9S

#6 flathead wood screw recommended for fastening (not included). All baseplates are available with euro screws, please inquire.

SALICE

DOMI Automatic Clip-on Mounting Plate System

3-Way Adjustments

Features

- Depth adjustment -0.5 mm— +2.8 mm
- Height adjustment ± 2 mm
- All baseplates can be used with all hinges

Die-cast

Screw on

BAR3P09

BAR3P39

BAR3P69

Euro-Screw

BARGP09

BARGP39

BARGP69

Stamped-Steel

Screw on

BAR3L09

BAR3L39


BAR3L69

Euro-Screw

BARGL09

BARGL39

BARGL69



Stamped-Steel
Euro-Screws

BAVGL09

BAVGL39



Die-cast

Screw on

BAV3E99F

BAV3EC9F

BAV3EV9F

Euro-Screw



(shown)

BAVGE09

BAVGE39

BAVGE69

BAVGE99



This plate uses a unique **Automatic Adjustment Response** feature: a quick turn of the frontal adjustment or vertical adjustment screw automatically positions the hinge—eliminating the need for manual positioning.

Ordering Info

Height	Item Number	Price Each		
		1-99	100-299	300+
0mm	BAR3P09	\$1.02	.92	Call
3mm	BAR3P39	1.12	.99	Call
6mm	BAR3P69	1.31	1.18	Call
0mm	BAR3L09	.75	.68	Call
3mm	BAR3L39	.75	.68	Call
6mm	BAR3L69	.79	.71	Call
9mm	BAV3E99F	1.33	1.20	Call
12mm	BAV3EC9F	1.39	1.25	Call
18mm	BAV3EV9F	1.64	1.49	Call
0mm	BARGP09	1.11	1.00	Call
3mm	BARGP39	1.21	1.09	Call
6mm	BARGP69	1.40	1.26	Call
0mm	BARGL09	.81	.73	Call
3mm	BARGL39	.81	.73	Call
6mm	BARGL69	.83	.75	Call
0mm	BAVGL09	.99	.89	Call
3mm	BAVGL39	.99	.89	Call
0mm	BAVGE09	.99	.89	Call
3mm	BAVGE39	.99	.89	Call
6mm	BAVGE69	.99	.89	Call
9mm	BAVGE99	1.19	1.07	Call

#6 flathead wood screw recommended for fastening (not included). All baseplates are available with euro screws, please inquire.

FACE FRAME Adapter plate

Overlay	Height	Item	1-299	300+
3/4"	1mm	BAU3L19	.92	Call
1/2"	4mm	BAU3L49	.98	Call


- Check out Slides & Swivels
- Check out Decorative Pulls & Knobs

3603 G* GRASS

Recommended use for
frameless cabinets
3-Dimensional

Features

- Overlays up to 19mm ($\frac{3}{4}$ "
 - High use applications
 - Automatic smooth closing
 - Excess stress absorbed via self-tightening action
- Can be used on framed cabinets using face frame adapter



95° Snap on Hinge



Hinge Options			Baseplate Options			
Cup Fastening	Closing Method	Mfg. Number	Full Overlay $\frac{3}{4}$ " side panel	Full Overlay $\frac{5}{8}$ " side panel	Half Overlay	Inset
Screw	S/C	3603VS	10759	10763	10767	30534
	F/S	3613VS				
Dowel	S/C	3603VS8	N/A	N/A	10759	10767
	F/S	3613VS8				
Screw	S/C	3604VS	N/A	N/A	N/A	10759
	F/S	3614VS				
Dowel	S/C	3604VS8	N/A	N/A	N/A	10759
	F/S	3614VS8				
Screw	S/C	3605VZ	N/A	N/A	N/A	10759
	F/S	3615VZ				
Dowel	S/C	3605VZ8	N/A	N/A	N/A	10759
	F/S	3615VZ8				

Hinge pricing each


Item #	Mfg #	1-99	100-299	300+
17694	3603VS	\$2.13	\$1.81	Call
18384	3613VS	2.46	2.09	Call
17695	3603VS8	2.27	1.93	Call
18385	3613VS8	2.59	2.20	Call
18372	3604VS	2.26	1.89	Call
18373	3614VS	2.56	2.19	Call
18376	3604VS8	2.40	2.03	Call
18377	3614VS8	2.71	2.35	Call
18378	3605VZ	3.85	3.45	Call
18379	3615VZ	4.45	4.05	Call
18380	3605VZ8	3.98	3.63	Call
18381	3615VZ8	4.61	4.20	Call

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x $\frac{3}{8}$ " Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Baseplate pricing each

Mounting	Item#	1-299	300+
Wood Screw	10759	\$.60	Call
Wood Screw	10763	.95	Call
Wood Screw	10767	1.05	Call
Wood Screw	30534	1.49	Call



Face Frame Adapter

Item	1-49	50-299	300+
13158	.99	.84	Call

3606-3608

Use for doors between $\frac{5}{8}$ "-1 $\frac{1}{4}$ " thick, frameless cabinets. (1" or thicker must bevel door edges).

Hinge pricing each


Hinge Options	Item #	Mfg #	1-99	100-299	300+
Overlay S/C	18482	3606VZ8	\$4.31	\$4.11	Call
Overlay F/S	15995	3616VZ8	4.42	4.25	Call
Inset S/C	18484	3608VZ8	4.51	4.29	Call
Inset F/S	15997	3618VZ8	4.66	4.37	Call

3703 G* GRASS

Recommended use for
frameless cabinets

Features

- Overlays up to 21 mm ($2\frac{5}{32}$ "
 - Door thickness: Overlay-16mm ($\frac{5}{8}$ " to 22mm ($\frac{7}{8}$ " Inset-16 mm ($\frac{5}{8}$ " - 19 mm ($\frac{3}{4}$ "
 - Automatic smooth closing
 - Installation time reduced by 50%
- Can be used on framed cabinets using face frame adapter



110° Snap on Hinge



Hinge Options			Baseplate Options			
Cup Fastening	Closing Method	Mfg. Number	Full Overlay $\frac{3}{4}$ " side panel	Full Overlay $\frac{5}{8}$ " side panel	Half Overlay	Inset
Screw	S/C	3703VS	10759 (wood screw)	10763 (wood screw)	10767 (wood screw)	30534 (wood screw)
	F/S	3713VS	10761 (euro screw)	10765 (euro screw)	10769 (euro screw)	
Dowel	S/C	3703VS8	10717 (straight plate)			
	F/S	3713VS8				
Screw	S/C	3704VS	N/A	N/A	10759	10767
	F/S	3714VS			10761	
Dowel	S/C	3704VS8	N/A	N/A	10717	10767
	F/S	3714VS8				

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x $\frac{3}{8}$ " Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each

Item #	Mfg #	1-99	100-299	300+
79839	3703VS	\$1.57	\$1.39	Call
12254	3713VS	1.65	1.48	Call
70039	3703VS8	1.68	1.50	Call
11157	3713VS8	1.74	1.59	Call
55411	3704VS	1.87	1.68	Call
55412	3714VS	1.97	1.78	Call
55413	3704VS8	1.97	1.78	Call
55414	3714VS8	2.06	1.89	Call

Baseplate pricing each

Mounting	Item#	1-299	300+
Straight Plate	10717	\$1.21	Call
Wood Screw	10759	.60	Call
Euro Screw	10761	.85	Call
Wood Screw	10763	.95	Call
Euro Screw	10765	1.02	Call
Wood Screw	10767	1.05	Call
Euro Screw	10769	1.27	Call
Wood Screw	30534	1.49	Call



Face Frame Adapter

Item	1-49	50-299	300+
13158	.99	.84	Call






3803 G* GRASS

Recommended use for
frameless cabinets

3-Dimensional

Features

- Overlays up to 19mm (3/4")
 - High use applications
 - Automatic smooth closing
 - Excess stress absorbed via self-tightening action
- Can be used on framed cabinets using face frame adapter



120° Snap on Hinge




Hinge Options			Baseplate Options			
Cup Fastening	Closing Method	Mfg. Number	Full Overlay 3/4" side panel	Full Overlay 5/8" side panel	Half Overlay	Inset
Screw	S/C	3803VS	10759	10763	10767	N/A
	F/S	3813VS				
Dowel	S/C	3803VS8				
	F/S	3813VS8				
Screw	S/C	3804VS	N/A	N/A	10759	N/A
	F/S	3814VS				
Dowel	S/C	3804VS8				
	F/S	3814VS8				

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x 5/8" Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each				
Item #	Mfg. #	1-99	100-299	300+
79840	3803VS	\$1.86	\$1.68	Call
12340	3813VS	1.93	1.72	Call
70042	3803VS8	1.95	1.74	Call
12343	3813VS8	1.99	1.77	Call
12634	3804VS	1.91	1.70	Call
12635	3814VS	1.96	1.75	Call
12638	3804VS8	1.98	1.78	Call
12639	3814VS8	2.06	1.89	Call

Baseplate pricing each			
Mounting	Item#	1-299	300+
Wood Screw	10759	\$.60	Call
Wood Screw	10763	.95	Call
Wood Screw	10767	1.05	Call



Face Frame Adapter

Price each			
Item	1-49	50-299	300+
13158	.99	.84	Call



3903 G* GRASS

Recommended use for
frameless cabinets

Features

- Three-dimensional adjustment in hinge arm
 - Overlays up to 25 mm (1") with 1.3mm baseplate
 - Door thickness:
Overlay-16mm (5/8") to 22mm (7/8")
Inset-16 mm (5/8") - 19 mm (3/4")
 - Zero protrusion in full overlay allows for pullouts
 - Automatic smooth closing
 - Special applications: Lipped Doors, 135 Reduction Clip, Mitered Doors, Zero Protrusion, and Large Overlays
- Can be used on framed cabinets using face frame adapter



165° Snap on Hinge



Hinge Options			Baseplate Options			
Cup Fastening	Closing Method	Mfg. Number	Full Overlay 3/4" side panel	Full Overlay 5/8" side panel	Half Overlay	Inset
Screw	S/C	3903VZ	10759	10763	10767	30534
	F/S	3913VZ				
Dowel	S/C	3903VZ8				
	F/S	3913VZ8				
Screw	S/C	3904VZ	N/A	N/A	10759	10767
	F/S	3914VZ				
Dowel	S/C	3904VZ8				
	F/S	3914VZ8				

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x 5/8" Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each				
Item #	Mfg. #	1-99	100-299	300+
90110	3903VZ	\$3.82	\$3.54	Call
12346	3913VZ	3.95	3.66	Call
09897	3903VZ8	3.93	3.65	Call
11154	3913VZ8	4.30	3.99	Call
18503	3904VZ	4.18	3.89	Call
18521	3914VZ	4.29	3.99	Call
18504	3904VZ8	4.41	4.10	Call
18522	3914VZ8	4.54	4.22	Call

Baseplate pricing each			
Mounting	Item#	1-299	300+
Wood Screw	10759	\$.60	Call
Wood Screw	10763	.95	Call
Wood Screw	10767	1.05	Call
Wood Screw	30534	1.49	Call



Face Frame Adapter

Price each			
Item	1-49	50-299	300+
13158	.99	.84	Call




- Check out *Decorative Knobs & Pulls*
- Check out *Fasteners & Cutting Tools*

TEC 830

For doors $\frac{5}{8}$ " thick
120° Opening


G* GRASS

120° Face Frame Hinge




TEC 831

For doors $\frac{3}{4}$ " thick
105° Opening



Features

- Two way adjustment
- Includes cycle-tested automatic closing mechanism
- All metal construction
- Side adjustment (+/- 1.5mm)
- Cup drilling depth is 13mm
- Cup drilling distance is 2.5mm



Use with framed cabinets

Ordering Info

Opening	Cup Fastening			Price each		
		Item	Mfg. #	1-49	50-299	300+
120°	Screw*	30593	830VS	\$1.71	\$1.48	Call
	Dowel	30597	830VS8	1.83	1.34	Call
105°	Screw*	30595	831VS	1.71	1.48	Call
	Dowel	30599	831VS8	1.83	1.34	Call

Baseplate	Mounting	Item	Mfg. #	1-49	50-299	300+
Variable Overlay*	Facemount	65615	830-09	\$.88	\$.65	Call
$\frac{1}{4}$ " Overlay	Side mount	67379	830-42	.95	.71	Call
$\frac{1}{2}$ " Overlay	Side mount	67378	830-41	.95	.71	Call
$\frac{3}{16}$ " Overlay	Side mount	66539	830-38	.95	.71	Call
1" Overlay	Side mount	66538	830-37	.95	.71	Call
$\frac{3}{4}$ " Overlay	Wrap-around	13212	830-67	.95	.71	Call
$1\frac{1}{4}$ " Overlay	Wrap-around	66646	830-33	.95	.71	Call
$1\frac{3}{8}$ " Overlay	Wrap-around	65646	830-13	.95	.71	Call
$1\frac{1}{2}$ " Overlay	Wrap-around	67442	830-40	.95	.71	Call

*#6 x $\frac{3}{16}$ " flathead wood screws (not Included)
#10 x $\frac{3}{4}$ " roundhead wood screws recommended
for baseplate fastening (not Included)



Baseplates for TEC 830 & 831




Side mount baseplate




Face mount baseplate




Wrap-around baseplate



TEC 830
with wrap around baseplate



TEC 831
with side mount baseplate



TEC 830
with face mount baseplate



3403


G* GRASS

95° Diagonal Corner Hinge

Diagonal Corner Cabinets

Features


- 45° Corner and Mitered applications
- Door thickness: Overlay-16mm ($\frac{5}{8}$ ") to 22mm ($\frac{7}{8}$ ") depending on reveal and shape of door.
- Tight turning radius enables doors to remain close together
- Design overlays end panel reducing gaps



	Hinge Options			Baseplate Options
	Cup Fastening	Closing Method	Mfg. Number	Typical Application
Snap-on	Screw	S/C	3403VZ	10759
		F/S	3413VZ	
	Dowel	S/C	3403VZ8	
		F/S	3413VZ8	

S/C- Self Closing
F/S-Free Swinging

Cup Fastening Method: #6 x $\frac{5}{8}$ " Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)



Hinge Pricing				
Item #	Mfg #	1-99	100-299	300+
16380	3403VZ	\$3.73	\$3.48	Call
16381	3413VZ	3.78	3.52	Call
16382	3403VZ8	3.90	3.64	Call
16383	3413VZ8	3.95	3.69	Call

Baseplate Pricing		
Item #	1-299	300+
10759	\$.60	Call

3303


G* GRASS

95° Blind Corner Hinge

Blind Corner Cabinets

Features


- Door thickness: 16mm ($\frac{5}{8}$ ") to 22mm ($\frac{7}{8}$ ") depending on reveal and shape of door. For flush front, door and end panel must be the same thickness.



	Hinge Options			Baseplate
	Cup Fastening	Closing Method	Mfg. Number	Typical Application
Snap-on	Screw	S/C	3303VZ	11704
		F/S	3313VZ	
	Dowel	S/C	3303VZ8	
		F/S	3313VZ8	

S/C- Self Closing
F/S-Free Swinging

Cup Fastening Method: #6 x $\frac{5}{8}$ " Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)



Hinge Pricing				
Item #	Mfg. #	1-99	100-299	300+
11511	3303VZ	\$3.64	\$3.41	Call
11609	3313VZ	3.69	3.46	Call
11606	3303VZ8	3.81	3.57	Call
11604	3313VZ8	3.85	3.61	Call

Baseplate Pricing		
Item #	1-99	100-299 300+
11704	\$.98	\$.91 Call

- Check out Storage & Convenience
- Check out Keyboard Slides

3215 GRASS

**Full Extension
Bottom Mount Slide
100 lbs. load**

Applications

Kitchen and bath cabinets
Bedroom and dining room case goods

Features

- Bottom mount.
- Double captive roller prevent side sway.
- Automatic stay-close feature.
- Silent Glide® roller ensures smooth, quiet motion.
- Soft stop reduces noise of telescoping members.



**See Section 1
for more GRASS
drawer slides**

Ordering Info

Finish: white

Packaging: 1 piece.

Recommended screw #6 x 5/8" flathead
(not included)

Length	Mfg. #	Item #	Price per pair		
			1-9	10-19	30+
10"	11781	3215-10"	\$18.53	\$17.60	Call
12"	11782	3215-12"	19.27	18.31	Call
14"	11783	3215-14"	20.00	19.00	Call
16"	11784	3215-16"	20.64	19.61	Call
18"	11785	3215-18"	21.34	20.27	Call
20"	11786	3215-20"	21.99	20.89	Call
22"	11787	3215-22"	22.72	21.58	Call
24"	11788	3215-24"	24.43	23.20	Call
26"	11789	3215-26"	25.07	23.82	Call

Lengths can be mixed for quantity pricing

975VZ GRASS

Features

- Sturdy all zinc die cast
- Small or large gap between doors
- Shallow profile does not interfere with lazy susans
- Same drilling on both doors; cup drilling depth of 11.3mm (9/16")
- Height adjustable
- Accommodates door 15-24mm thick

Pie-Cut Corner Hinge



Ordering Info

Item	Mfg. #	Price each	
		1-9	10+
13128	975VZ	\$22.30	\$17.00

As a
MEPLA

distributor,


**We offer the full line of
Mepla-Alfit products.**

**Please call our sales
department for information.**

ACC140 MEPLA


Features

- Self-closing
- One piece concealed for overlay doors
- No boring into frame, fully adjustable
- Only 10mm cup drilling depth
- 4mm gap per door required
- Overlays from 26 to 29mm (1 1/32"-1 1/8")



**Widest angle opening
available for a face frame
hinge in the industry**

130° Face Frame Hinge



Use with framed cabinets

Ordering Info

Item	Price each	
	1-49	50+
MPACC-140	\$5.50	Call


#6 x 5/8" flathead wood screws (not Included)



21 SSP Series MEPLA 110° Slide on Hinge

Features

- General purpose hinge
- Excellent minimum gap requirements
- Special shallow cup dimensions, allow for mounting in soft-formed doors



Clip-On Available
(will eventually replace Slide-On)

Hinge Options			Baseplate Options		
Cup Fastening	Closing Method	Item Number	Full Overlay	Half Overlay	Inset
Screw	S/C	SSP 05-253/00	MP9725N3700	MP9725N3708	MP9725N3718
	F/S	MP2115300			

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x 5/8" Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each		
Item #	1-49	50+
SSP 05-253/00	\$1.95	Call
MP2115300	1.95	Call


Baseplate pricing each		
Item #	1-49	50+
MP9725N3700	\$.78	Call
MP9725N3708	1.18	Call
MP9725N3718	1.40	Call



29 SSP Series MEPLA 125° Slide on Hinge

Features

- General purpose hinge
- Excellent minimum gap requirements
- Special shallow cup dimensions, allow for mounting in soft-formed doors



Clip-On Available
(will eventually replace Slide-On)

Hinge Options			Baseplate Options		
Cup Fastening	Closing Method	Item Number	Full Overlay	Half Overlay	Inset
Screw	S/C	MP2925300	MP9725N3700	MP9725N3708	MP9725N3718
	F/S	MP2915300			

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x 5/8" Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each		
Item #	1-49	50+
MP2925300	\$2.06	Call
MP2915300	2.06	Call

Baseplate pricing each		
Item #	1-49	50-249
MP9725N3700	\$.78	Call
MP9725N3708	1.18	Call
MP9725N3718	1.40	Call



78 SSP Series MEPLA 175° Slide on Hinge

Features

- Wide angle opening
- Thick door hinge for doors up to 29mm (1 1/8")
- Door overlays up to 20 mm (3/16")

While Supplies Last
(discontinued)

Hinge Options			Baseplate Options		
Cup Fastening	Closing Method	Item Number	Full Overlay	Half Overlay	Inset
Screw	S/C	SSP-78-253Z/00	MP9725N3700	MP9725N3708	MP9725N3718
	F/S	MP7815300			
	S/C	MP7825308	N/A	MP9725N3700	MP9725N3708
	F/S	MP7815308			

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x 5/8" Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each		
Item #	1-49	50+
SSP-78-253Z/00	\$5.97	Call
MP7815300	6.12	Call
MP7825308	6.47	Call
MP7815308	6.31	Call

Baseplate pricing each		
Item #	1-49	50+
MP9725N3700	\$.88	Call
MP9725N3708	1.28	Call
MP9725N3718	1.40	Call



- Check out **Lighting & Wire Management**
- Check out **Fasteners & Cutting Tools**

3503 G* GRASS


Glass Door
3-Dimensional

Features

- Overlays up to 19mm ($\frac{3}{4}$ ")
- Black plastic Hinge Cup
- High use applications
- Automatic smooth closing
- Excess stress absorbed via self-tightening action

Glass Thickness:

3mm ($\frac{1}{8}$ ") to 7mm ($\frac{9}{32}$ ") Maximum thickness of tempered glass doors is 4mm ($\frac{5}{32}$ ")



100° Snap on Hinge



Hinge Options			Baseplate Options			
Cup Fastening	Closing Method	Mfg. Number	Full Overlay $\frac{3}{4}$ " side panel	Full Overlay $\frac{5}{8}$ " side panel	Half Overlay	Inset
Screw	S/C	3503GT	10759	10763	10767	30534
	F/S	3513GT				
Dowel	S/C	3505GT				
	F/S	3515GT				

S/C- Self Closing F/S-Free Swinging

Cup Fastening Method: #6 x $\frac{5}{8}$ " Wood Screw (not included)
Baseplate Fastening Method: #6 Wood Screw (not included)

Hinge pricing each

Item #	Mfg. #	1-99	100-299	300+
50110	3503GT	\$3.06	\$2.83	\$2.56
12347	3513GT	3.06	2.83	2.56
50111	3505GT	4.18	3.87	3.49
12348	3515GT	3.30	3.05	2.76

Baseplate pricing each

Item #	1-299	300+
10759	\$.60	Call
10763	.95	Call
10767	1.05	Call
30534	1.49	Call

Hole bore is 30mm

Hinge Cover pricing each

Item#	1-299	300+
83585	\$2.00	Call
83584	2.00	Call
84221	2.00	Call
83836	2.00	Call
83823	2.00	Call
84225	2.00	Call



Non-Bore Glass Door Hinges for Light-Weight Glass Doors

Side Mount Glass Door Hinge

- Overlay
- Glass thickness: 3-5 mm ($\frac{1}{8}$ " - $\frac{13}{64}$ ")
- Sold in sets (for 1 door)



Price per set

Finish	Item	1-24	24-99	100+
Chrome	AA030-PC	\$9.50	\$7.95	Call
Brass	AA030-PB	9.50	7.95	Call

Side Mount Glass Door Hinge

- Inset
- Glass thickness: 4-5 mm ($\frac{5}{32}$ " - $\frac{13}{64}$ ")
- Sold in sets (for 1 door)



Price per set

Finish	Item	1-24	25-99	100+
Chrome	AA020-PC	\$9.10	\$6.95	Call
Brass	AA020-PB	9.10	6.95	Call

Metal Strike Plate & self adhesive rubber

- Glass thickness: 5-6mm



Price each

Finish	Item	1-24	25-99	100+
Chrome	DS60100	\$1.30	\$.86	Call
Brass	DS60101	1.30	.86	Call
Black	DS60106	1.30	.86	Call

Metal Strike Plate with Pull & self adhesive rubber

- Glass thickness: 5-6 mm



Price each

Finish	Item	1-49	50-99	100+
Chrome	DS60102	\$1.22	\$.77	Call
Brass	DS60103	1.22	.77	Call
Black	DS60107	1.22	.77	Call

SALICE

Glass Door Hinge & Cover Plates

Compatible with all series 200, traditional mounting plates and with all DOMI® snap-on mounting plates.

Glass Thickness: 4mm to 6mm

Hole Boring: 26mm



Hinges

Overlay	Item	Price each	
		1-299	300+
Full	C2C7A39	\$2.14	Call
Half	C2C7G39	2.98	Call
Inset	C2C7P39	3.25	Call

Round & Bullet Shape Cover Plates

Finish	Item	1-299	300+
Black	P2CTAX3	\$.95	Call
Gold	P2CTAO8	.95	Call
Silver	P2CTAO6	.95	Call


Base Plates

See pg. 2.05 for Salice base plates



Flap Hinge

- Separate insertion of the lid and panel segment makes it possible to fix the flap to cabinet afterwards.
- Adjustable sideways, in height and depth.
- 12mm depth x 35mm drilling width for cups



Price
Each



Finish	Item	1-25	26-49	50+
Chrome	1002686	\$6.60	\$5.80	Call
Brass	1002688	\$6.60	\$5.80	Call

Overlay Door Angle Hinge

Door thickness: 21mm

Mounting: screws included

Material: Brass



Price each

Finish	Item	1-9	10-19	20+
Brass	AHS-20PB	\$20.02	\$16.00	Call
Nickel	AHS-20SN	20.02	16.00	Call
Brass	AHS-24PB	20.95	16.75	Call
Nickel	AHS-24SN	20.95	16.75	Call

Pivot hinge

Door thickness: 7/8"

Mounting: #6 F.H. x 5/8" (not included)

Material: Stainless steel



Virtually no
visible hardware

Price per pair

Finish	Item	1-49	50+
Stainless Steel	SUS430	\$4.49	Call

180° No-Bore Hinge **MEPLA**

- Glass door slides easily into premounted hinge
- Screw adjustment for varying door thickness



Price per set of 2


Finish	Item	1-24	25-99	100+
Nickel	567/105N	\$8.75	\$6.60	Call
Brass	567/105B	8.75	6.60	Call

Center Hinge for Folding Doors

Mounting: #6 F.H. x 5/8" (not included)

Material: Zinc Alloy

Finish: Bronze




Price each

Item	1-4	5-9	10+
CH-75/GB	\$9.95	\$8.30	Call

Economy Cabinet Butt Hinge

- Steel construction
- Countersunk screw holes
- Removable pin for easy installation
- Sold in pairs

Packaging: Polybag, w/ screws



While
Supplies
Last

Price per pair

Size	Finish	Item	1-99	100-999	1000+
1" x 1/8"	Brass	CH101	\$1.49	\$1.09	Call
1 1/2" x 1 1/4"	Brass	CH1012	1.49	1.09	Call
2" x 1 1/2"	Brass	CH102	1.49	1.09	Call
2 1/2" x 1 3/4"	Brass	CH10212	1.49	1.09	Call
3" x 2"	Brass	CH103	1.49	1.09	Call
1" x 7/8"	Zinc	CH201	1.49	1.09	Call
1 1/2" x 1 1/4"	Zinc	CH2012	1.49	1.09	Call
2" x 1 1/2"	Zinc	CH202	1.49	1.09	Call
2 1/2" x 1 3/4"	Zinc	CH20212	1.49	1.09	Call
3" x 2"	Zinc	CH203	1.49	1.09	Call

Sizes can be mixed for quality pricing!

Von Morris Ball Tip Hinge

- Threaded decorative ball finials included.
- Finials are threaded into the barrel of the hinge to prevent the pin from rising.
- Flathead screws included



Solid Brass Cabinet Hinges

Price per pair

Size	Item	1-24	25-99	100+
CHROME				
2" x 1 1/2"	60-2015-625	\$20.74	\$18.15	Call
2 1/2" x 1 3/4"	60-2517-625	21.56	18.87	Call
2 1/2" x 2"	60-2520-625	24.78	21.68	Call
2 1/2" x 2 1/2"	60-2525-625	24.48	21.42	Call
3" x 2"	60-3020-625	25.76	22.54	Call

BRASS

2" x 1 1/2"	60-2015-605	\$16.62	\$14.54	Call
2 1/2" x 1 3/4"	60-2517-605	17.42	15.24	Call
2 1/2" x 2"	60-2520-605	20.62	18.04	Call
2 1/2" x 2 1/2"	60-2525-605	21.60	18.90	Call
3" x 2"	60-3020-605	21.60	18.90	Call

Price per pair

Size	Item	1-24	25-99	100+
SATIN NICKEL				
2" x 1 1/2"	60-2015-619	\$34.23	\$27.38	Call
2 1/2" x 1 3/4"	60-2517-619	35.18	28.14	Call
2 1/2" x 2"	60-2520-619	39.03	31.22	Call
2 1/2" x 2 1/2"	60-2525-619	40.20	32.16	Call
3" x 2"	60-3020-619	44.88	35.90	Call

OIL-RUBBED BRONZE—(2 week delivery)

2" x 1 1/2"	60-2015-613	\$34.23	\$27.38	Call
2 1/2" x 1 3/4"	60-2517-613	35.18	28.14	Call
2 1/2" x 2"	60-2520-613	39.03	31.22	Call
2 1/2" x 2 1/2"	60-2525-613	40.20	32.16	Call
3" x 2"	60-3020-613	44.88	35.90	Call

- Check out Fasteners & Cutting Tools
- Check out Cabinet Hinges

SEE PAGE 13.03 FOR MORE CABINET HINGES

Face Mount-Self Closing Hinges

Frame wing is visible, but door wing is concealed when door is closed. Spring holds door closed without a catch. Overall height 2¾".

Variable Overlay Hinge

Packaging: Pair, in polybag w/ screws



BP7629-3 Bright Brass
BP7629-26 Polished Chrome
BP7629-AE Antique English
BP7629-BB Burnished Brass

Price per pair		
1-24	25-99	100+
\$4.38	\$3.26	Call



⅜" Inset Hinge

Packaging: Pair, in polybag w/ screws



BP7628-3 Bright Brass
BP7628-26 Polished Chrome
BP7628-AE Antique English
BP7628-BB Burnished Brass

Price per pair		
1-24	25-99	100+
\$4.38	\$3.26	Call

Full Line of
Amerock
Knobs & Pulls
Available

Variable Overlay Hinge

Packaging: Pair, in polybag w/ screws



BP7929-3 Bright Brass
BP7929-26 Polished Chrome

Price per pair		
1-24	25-99	100+
\$4.38	\$3.26	Call

Wrap Around Cabinet Hinges

Self Closing

Hinge wraps around frame of cabinet.
Elongated hole for vertical adjustment.
Overall height 2¾".

Burnished brass finish

Packaging: Pair, in polybag w/ screws



		Price per pair		
Style	Item	1-24	25-99	100+
½" Overlay	BP7550-BB	\$4.82	\$3.51	Call
¼" Overlay	BP7553-BB	4.82	3.51	Call
⅝" Inset	BP7565-BB	4.82	3.51	Call

Surface Mounted Concealed Hinge

Hinge can be full-overlay, half-overlay or inset. Full-overlay of side panel up to 2⅝".
Ideal for kitchen cabinets.
Chrome finish.

Packaging: Pair, in polybag w/ screws

Other degree
openings are available



		Price each		
Item		1-24	25-99	100+
AA1064		\$1.99	\$1.79	Call

Flush Overlay Hinge

Packaging: Pair, in polybag w/ screws



AA35AB Bright Brass
AA35CH Polished Chrome

Price per pair		
1-99	100-249	250+
\$1.39	\$0.99	Call

Overlay Door Pivot Hinge

Door thickness: ¾"

Mounting: #6 F.H. x ¾" (not included)

Finish: Satin Chrome

A pair of hinges can handle a 5.7 lb door




		Price per pair		
Item		1-49	50-99	100+
SUPL65L		\$9.99	\$7.99	Call

Adjustable Knife Hinge, 23/32" Overlay

Door thickness: ¾"

Mounting: #6 F.H. x ⅝" (not included)

Finish: BB-Burnished Brass, SG-Zinc



Virtually no
visible hardware


		Price each		
Item		1-24	25-99	100+
BP1238-BB		\$6.58	\$5.04	Call
BP1238-2G		6.58	5.04	Call
Similar to Stanley 332				

Adjustable Knife Hinge, Variable Overlay

Door thickness: ¾"

Mounting: #6 F.H. x ⅝" (not included)

Finish: BB-Burnished Brass, SG-Zinc



Virtually no
visible hardware

		Price each		
Item		1-24	25-99	100+
BP1242-BB		\$6.58	\$5.04	Call
BP1242-SG		6.58	5.04	Call
Similar to Stanley 331				



SOSS® Light-Duty Cabinet Hinges

- Smooth flush surfaces
- 180° opening
- Deep full mortise for strength
- Secure-can't be compromised

Now You
See It...

Now You
Don't

See Heavy Duty Soss Hinges
In the Door Hinges & Pivots section



Finish	A	B	C	D	E	F	G	H	I	Min. Wood Thickness	Item	Price per Pair		
												1-4	5-9	10+
Satin Chrome	$\frac{3}{8}$	$\frac{19}{64}$	$1\frac{11}{16}$	$\frac{7}{64}$	$\frac{3}{32}$	$\frac{7}{8}$	$\frac{1}{32}$	$\frac{29}{64}$	$\frac{7}{32}$	$\frac{1}{2}$	101C-US26D	\$16.05	\$13.96	Call
Satin Brass	9.5	7.5	42.9	2.8	2.4	22.2	0.8	11.5	5.6	12.7	101C-US4	16.05	13.96	Call
Satin Chrome	$\frac{1}{2}$	$\frac{3}{8}$	$1\frac{1}{2}$	$\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{16}$	$\frac{1}{32}$	$\frac{19}{32}$	$\frac{7}{32}$	$\frac{3}{4}$	103C-US26D	14.28	12.42	Call
Satin Brass	12.7	9.5	38.1	3.2	3.2	17.5	0.8	15.1	5.6	19.1	103C-US4	14.28	12.42	Call
Satin Chrome	$\frac{1}{2}$	$\frac{23}{64}$	$1\frac{3}{4}$	$\frac{7}{64}$	$\frac{1}{8}$	$\frac{3}{4}$	$\frac{1}{32}$	$\frac{23}{32}$	$\frac{3}{16}$	$\frac{3}{4}$	203C-US26D	13.27	11.54	Call
Satin Brass	12.7	9.1	44.5	2.8	3.2	19.1	0.8	18.3	4.7	19.	203C-US4	13.27	11.54	Call
Satin Chrome	$\frac{1}{2}$	$\frac{23}{64}$	$2\frac{3}{4}$	$\frac{7}{64}$	$\frac{1}{8}$	$1\frac{1}{4}$	$\frac{1}{16}$	$\frac{23}{32}$	$\frac{1}{4}$	$\frac{3}{4}$	204C-US26D	17.27	15.02	Call
Satin Brass	12.7	9.1	60.3	2.8	3.2	31.8	1.6	18.3	6.4	19.1	204C-US4	17.27	15.02	Call

Screws included. Do not exceed "E" dimensions.

SEE PAGE 13.06 FOR MEDIUM TO HEAVY DUTY SOSS HINGES


101





103



203




204



SOSS® Hinge Router Guide Jig

Fast, easy, and perfect installation of Soss hinges, use with Porter-Cable Template Guide



Ordering Info			
For Soss Hinge #	Router Bit Size	Item	Price ea
SS101	$\frac{1}{4}$ "	101-IT	\$45.00
SS103	$\frac{3}{8}$ "	103-IT	45.00
SS203	$\frac{3}{8}$ "	203-IT	45.00
SS204	$\frac{3}{8}$ "	204-IT	45.00
SS208	$\frac{3}{8}$ "	208-IT	45.00
SS212	$\frac{3}{8}$ "	212-IT	45.00
SS216	$\frac{1}{2}$ "	216-IT	45.00
SS218	$\frac{1}{2}$ "	218-IT	45.00
SS220	$\frac{1}{2}$ "	220-IT	45.00

**Call Us
For All Of Your
Architectural
Hardware Needs**

Hidden Barrel Hinge

- Brass
- Only 2 holes for installation
- Smooth flush surfaces
- 180° opening
- Min. door thickness: $\frac{5}{8}$ "
- Hole depth: $\frac{5}{8}$ "



Now You See It...



Now You Don't

Min. Door Thickness		Price each		
Dia.	Thickness	Item	1-49	50-99 100+
10mm	$\frac{1}{2}$ "	BH10	\$2.66	\$2.48 Call
12mm	$\frac{5}{8}$ "	BH12	2.76	2.59 Call
14mm	$\frac{3}{4}$ "	BH14	2.90	2.71 Call
16mm	$\frac{7}{8}$ "	BH16	3.32	3.14 Call
18mm	$1\frac{1}{8}$ "	BH18	3.58	3.35 Call