

- Check out Closet & Shelving
- Check out Storage & Convenience

Template Butt Hinge

- For medium weight doors of average frequency.
- All hinges have template screw hole location for use on either wood or hollow metal door and frames.
- Steel hinges are polished and plated to insure a fine durable finish or prime coated for painting.
- Equipped with easily seated, non-rising pins. • All screws included

Non-Ball Bearing



Ball Bearing



Non-Ball Bearing

Size	Finish	Item	1-24	25-47	48+
3 1/2" x 3 1/2"	Prime Coat	05-0480	4.38	3.94	Call
	Pol. Brass	05-0489	10.76	9.68	Call
	Dull Brass	05-0491	4.32	3.89	Call
	Pol. Chrome	05-0486	10.76	9.68	Call
	Dull Chrome	05-0484	9.14	8.23	Call
4" x 4"	Prime Coat	05-0541	6.29	5.66	Call
	Pol. Brass	05-0551	11.60	10.44	Call
	Dull Brass	05-0552	6.29	5.66	Call
	Pol. Chrome	05-0547	11.60	10.44	Call
	Dull Chrome	05-0549	9.83	8.85	Call
4 1/2" x 4 1/2"	Prime Coat	05-0029	8.58	7.72	Call
	Pol. Brass	05-0043	15.38	13.84	Call
	Dull Brass	05-0042	8.58	7.72	Call
	Pol. Chrome	05-0036	15.38	13.84	Call
	Dull Chrome	05-0038	12.95	11.66	Call
5" x 5"	Pol. Brass	05-0855	32.25	29.03	Call
	Dull Chrome	05-0853	28.65	25.79	Call

Ball Bearing

Size	Finish	Item #	1-24	25-47	48+
3 1/2" x 3 1/2"	Pol. Chrome	06-8095	26.16	23.54	Call
	Pol. Brass	06-8099	23.14	20.83	Call
4" x 4"	Pol. Brass	06-8277	25.22	22.70	Call
	Dull Brass	06-8278	17.46	15.71	Call
	Pol. Chrome	06-8279	25.22	22.70	Call
4 1/2" x 4"	Prime Coat	06-3412	19.08	17.17	Call
	Pol. Chrome	06-7282	17.46	15.71	Call
4 1/2" x 4 1/2"	Prime Coat	06-8431	19.08	17.17	Call
	Pol. Brass	06-8436	27.76	24.98	Call
	Dull Brass	06-8784	19.08	17.17	Call
	Pol. Chrome	06-8438	27.76	24.98	Call
	Dull Chrome	06-8441	23.70	21.33	Call
5" x 5"	Prime Coat	06-8618	30.77	27.69	Call
	Pol. Brass	06-8627	42.32	38.09	Call
	Dull Chrome	06-8624	36.18	32.56	Call

2060R Spring Hinge

The 2060R Spring Hinge is an excellent alternative to more expensive overhead mounted door closers.

- Easy, precise power adjustment up or down with patented ratchet system.
- LifeSpan® bearing require no maintenance, oil or grease.
- UL listed
- Ideal for use in corridors, entrances and stairways for apartments, motels and hotels.

Suggested Uses

- Labeled fire doors, stairwell doors, motel and hotel guest room doors, apartment unit entrance doors.



Features

- Meets NFPA 80 standard for three hours fire doors-minimum two spring hinges per door required.
- 3 1/2" (89mm) hinge approved for doors up to 2'8" x 7'0" x 1 3/4" thick (1219 x 2438 x 44mm), weighing up to 180 lbs. (82 kg)
- 4" (102mm) hinges approved for doors up to 3'0" x 7'0" x 1 3/4" thick (914 x 2134 x 44mm)
- 4 1/2" (114mm) hinges approved for doors up to 4'0" x 8'0" x 1 3/4" thick (1219 x 2438 x 44mm) weighing up to 180 lbs. (82 kg)
- Screws included.

Hinge Size	Gauge of Metal	Flat Head Screws Per Hinge	
		Machine	Wood
3 1/2" x 3 1/2" 89 x 89mm	.099 2.5mm	6 ea. 10-24 x 1/2"	6 ea. #9 x 1"
4" x 4" 102 x 102mm	.099 2.5mm	8 ea. 12-24 x 1/2"	8 ea. #12 x 1 1/4"
4 1/2" x 4 1/2" 114 x 114mm	.134 3.4mm	8 ea. 12-24 x 1/2"	8 ea. #12 x 1 1/4"

Size	Finish	Item	Price each	
			1-24	25+
3 1/2" x 3 1/2"	Prime Coat	42-0742	\$12.84	Call
3 1/2" x 3 1/2"	Ant. Brass	42-0744	14.72	Call
3 1/2" x 3 1/2"	Dull Chrome	42-0750	19.29	Call
3 1/2" x 3 1/2"	Bright Brass	42-0749	20.23	Call
3 1/2" x 3 1/2"	Pol. Chrome	42-0752	20.23	Call
4 x 4	Prime Coat	42-2100	15.76	Call
4 x 4	Ant. Brass	42-2102	16.42	Call
4 x 4	Dull Chrome	42-2106	23.14	Call
4 x 4	Bright Brass	42-2110	23.70	Call
4 x 4	Pol. Chrome	42-2112	36.89	Call
4 1/2" x 4 1/2"	Prime Coat	42-0935	26.93	Call
4 1/2" x 4 1/2"	Ant. Brass	42-0936	29.73	Call
4 1/2" x 4 1/2"	Dull Chrome	42-0939	36.66	Call
4 1/2" x 4 1/2"	Bright Brass	42-0940	38.37	Call
4 1/2" x 4 1/2"	Pol. Chrome	42-0942	38.37	Call



741 Steel Square Corner Hinge

- For use on interior doors when hollow core or other lightweight doors are used.
- Non-rising removable steel pin.
- Hole in bottom tip for easy pin removal.
- Screws included.



Polished Chrome



Polished Brass

Size	Finish	Item	Price each	
			1-24	25+
3 x 3	Satin Brass	08-1100	3.45	Call
3 x 3	Pol.Brass	08-1060	12.15	Call
3 x 3	Pol. Chrome	08-1070	13.35	Call
3½ x 3½	Satin Brass	08-2100	3.45	Call
3½ x 3½	Prime Coat	08-2300	3.55	Call
3½ x 3½	Brass	08-2060	12.59	Call
3½ x 3½	Satin Chrome	08-2090	12.59	Call
3½ x 3½	Pol.Chrome	08-2070	13.79	Call
4 x 4	Brass	08-3060	15.15	Call
4 x 4	Satin Chrome	08-3071	15.15	Call

Door Pivot hinge

Door thickness: Up to 1¾"

Mounting: Mounting hardware included)

Material: Solid Brass

Load: Nos. 3½ & 4-70 lbs. No. 6-200 lbs.



Sizes 3½ & 4



Size 6

Size	Finish	Item	Price per pair	
			1-9	10+
3½	Chrome	3-1/2-US26	\$38.99	Call
3½	Sat. Chr	3-1/2-US26D	38.99	Call
3½	Brass	3-1/2-US3	38.99	Call
4	Chrome	4-US26	47.35	Call
4	Sat. Chr	4-US26D	47.35	Call
4	Brass	4-US3	47.35	Call
6	Chrome	6-US26	125.89	Call
6	Sat. Chr	6-US26D	125.89	Call
6	Brass	6-US3	125.89	Call
6	Brass	6-US4	125.89	Call

Other finishes available for special order.

327 Pivot Hinge-For Doors Up to 150 lbs.

- Satin Chrome
- For doors up to 150 lbs. (68 kg).
- For overlay doors 1¾" (35mm) to 1¾" (44mm) thick.
- Ideal for wardrobe doors.
- Bearings take both vertical and lateral loads.
- Designed for mullion or frame mounting.
- Doors can be installed floor to ceiling.
- Made from extra heavy .200" (5mm) gauge steel.
- Extra long screws for firm attachment.
- Screw holes allow both vertical and horizontal adjustment.
- Full 180° opening.
- Pivot edges finely polished.
- Set is non-handed.
- Screws are included.



Item	Price per set
35-0043	\$47.15

Please call for large quantity price breaks.

Spring Hinges


- For cabinetwork, providing for doors that swing closed without effort on the part of the person operating the door.



Finish	Item	Price each	
		1-9	10+
Brass	1525BP	\$1.80	\$1.65
Nickel	1525NP	1.80	1.65

Folding Screen Hinges

- This double acting hinge allows screens to be folded flat or at any angle in both directions.
- Packed in pairs, with screws.



Size	Finish	Item	Price per pair	
			1-9	10+
1¼"	Brass	1544BP1Q	\$3.75	\$3.38
1½"	Nickel	1544NP1E	1.90	1.71

- Check out Slides & Swivels
- Check out Functional Cabinet Hardware

Continuous (Piano) Hinges

Drilled and Countersunk
Screws not included



Finish: Steel Brass Plated

Size	Item	Price each	
		1-49	50+
6' x 1½"	PIANO1.5X72B	\$17.89	Call
6' x 2"	PIANO2X72B	26.35	Call
6' x 3"	PIANO3X72B	31.89	Call
8' x 1½"	PIANO1.5X96B	23.85	Call
8' x 2"	PIANO2X96B	52.70	Call
8' x 3"	PIANO3X96B	63.78	Call

Finish: Steel Nickel Plated

Size	Item	Price each	
		1-49	50+
6' x 1½"	PIANO1.5X72N	\$17.89	Call
6' x 2"	PIANO2X72N	26.35	Call
6' x 3"	PIANO3X72N	31.89	Call
7' x 2"	PIANO2X84N	52.70	Call
7' x 2½"	PIANO2.5X84N	31.12	Call
7' x 3"	PIANO3X84N	55.79	Call
8' x 1¼"	PIANO1.25X96N	31.89	Call
8' x 1½"	PIANO1.5X96N	23.85	Call
8' x 2"	PIANO2X96N	52.70	Call
8' x 2½"	PIANO2.5X96N	59.42	Call
8' x 3"	PIANO3X96N	63.78	Call

Finish: Solid Brass

Size	Item	Price each	
		1-49	50+
6' x 1½"	SOB6112	37.49	Call
8' x 1½"	SOB8112	49.99	Call
8' x 2"	SOB82	69.99	Call
8' x 3"	SOB83	79.99	Call

Bronze, Stainless Steel, Aluminum
Finishes are available Special Order

Olive Knuckle Hinge


- Designed specially for 1¾" (35mm) to 1¾" (44mm) average frequency doors.
 - Template hole location for all applications.
 - All screws included.
 - Size Open: 6" x 3⅞" (152 x 98mm)
 - Polished brass finish.
- Please call for additional finishes.




Item	Price each	
	1-9	10+
Left		
19-6038L-605	\$140.00	Call
Right		
19-6038R-605	\$140.00	Call

Non-Mortise Full Inset Hinge

- For door thicknesses from ⅞" to 1⅜"
- Interleaved hinge wings eliminates the need to mortise the door and frame while providing a near zero gap finished appearance.



Full Wrap
Frame Wing



Partial Wrap
Frame Wing

Item	Price each	
	1-24	25+
Full Wrap Hinge		
CM3175TM-AE	\$3.48	Call
CM3175TM-BB	3.35	Call
CM3175TM-G9	3.48	Call
CM3175TM-PB	3.48	Call

Item	Price each	
	1-24	25+
Partial Wrap Hinge		
CM3180TM-AE	\$3.48	Call
CM3180TM-G9	3.48	Call
CM3180TM-PB	3.48	Call
CM3180TM-SB	7.11	Call

Finish:
BB = Burnished Brass
G9 = Sterling Nickel
PB = Polished Brass
AE = Antique English
SB = Solid Brass

Non-Mortise Overlay Hinge

- For doors ¾" thick.
- Interleaved design for close door fit.
- Elongated screw holes for easy alignment, both vertically & horizontally



Finish	Item	Price each	
		1-19	20+
Satin Chrome	35-1420	\$12.59	Call



PRYSON® Pivot Sets

- Recommended for high traffic interior or exterior doors.
- Full floor-to-ceiling concealment is offered for center hung doors providing almost unlimited design flexibility.
- Vertical adjustment provides for field adjustment of the door if required on most models.
- Full weight of door is borne by floor pivot, providing long pivot life and trouble-free operation.

Please call our experienced technical dept. for additional finishes & functions

3/4" Offset Hung Pivot Sets

- All offset pivot sets are handed.
- All pivot sets include top and bottom pivots.
- 3/4" offset pivots locate the pivot point 3/4" from the heel edge of the door and 3/4" from the face of the door.
- Door edges must be beveled 1/8" in 2"

117-1/4 Single Action Side Mount

- Interior doors. Weight to 250 lbs.
Sizes up to 3'8" x 8'0".
- Includes #180 top pivot



Hand	Finish	Item	1-2	3+
Left	Bronze	11714L10	\$216.00	\$194.40
Left	Pol. Brass	11714L3	216.00	194.40
Left	Dull Chrome	11714L26D	216.00	194.40
Right	Bronze	11714R10	216.00	194.40
Right	Pol. Brass	11714R3	216.00	194.40
Right	Dull Chrome	11714R26D	216.00	194.40

117 Single Action Floor Mount Pivot

Interior doors. Weight to 300 lbs.



- Sizes up to 4'0" x 8'0".
- Includes #180 top pivot

Hand	Finish	Item	1-2	3+
Left	Bronze	117L10	\$216.00	\$194.40
Left	Chrome	117L26	216.00	194.40
Left	Dull Chrome	117L26D	216.00	194.40
Left	Pol. Brass	117L3	216.00	194.40
Left	Satin Brass	117LUS4	216.00	194.40
Right	Bronze	117R10	216.00	194.40
Right	Chrome	117R26	216.00	194.40
Right	Dull Chrome	117R26D	216.00	194.40
Right	Pol. Brass	117R3	216.00	194.40
Right	Satin Brass	117RUS4	216.00	194.40

Center Hung Pivot Sets

- All center hung pivot sets are double acting unless stopped by some means on the frame.
- Center hung sets are concealed to create a neat appearance.
- Intermediate pivots are not used with center hung pivot sets.
- Centered in thickness of door.
- Not recommended for door heights in excess of 8'6".
- Doors do not return to center.
- Door must be radiused on pivot edge.
- Top pivots included with bottom mounts.

147 Single Action Bottom Mount

Exterior or interior doors. Weight to 600 lbs.
Exterior sizes up to 3'6" x 7'0".
Interior sizes up to 4'0" x 8'6".


- Bottom pivot mounts directly to floor.
- 3/4" offset
- Includes #180 top pivot



Hand	Finish	Item	1-2	3+
Left	Bronze	147L10	\$308.00	\$277.20
Left	Pol. Brass	147L3	308.00	277.20
Left	Dull Chrome	147L26D	308.00	277.20
Left	Chrome	147L26	308.00	277.20
Right	Bronze	147R10	308.00	277.20
Right	Chrome	147R26	308.00	277.20
Right	Dull Chrome	147R26D	308.00	277.20
Right	Pol. Brass	147R3	308.00	277.20

180 Offset Hung Top Pivot

- Included with Pivots listed above.
- Top pivot is an integral part of the pivot set.
- Door edges must be beveled 1/8" in 2"
- Full mortise
- Non-handed pivot
- 3/4" offset



370 Double Action Bottom Mount

Exterior or interior doors.
Weight to 500 lbs.
Sizes up to 4'0" x 8'6".

- Bottom pivot mounts directly to floor
- Includes #340 top pivot



Finish	Item	1-2	3+
Bronze	370BZ	\$208.00	\$187.20
Chrome	370CH	208.00	187.20
Dull Chrome	370DC	208.00	187.20

127-3/4 Double Action Side Mount

Interior doors. Weight to 200 lbs.
Sizes up to 3'6" x 8'6".

- Includes #320 light duty top pivot .
- Bottom pivot mortised into side jamb.



Finish	Item	1-2	3+
Bronze	12734BZ	\$142.00	\$127.80
Chrome	12734CH	142.00	127.80
Dull Chrome	12734DC	142.00	127.80

128-3/4 Double Action Bottom Mount

Interior doors. Weight to 250 lbs.
Sizes up to 3'6" x 8'6".

- Includes #320 light duty top pivot .
- Bottom pivot mounts directly to floor.



Finish	Item	1-2	3+
Satin Brass	12834DB	\$142.00	\$127.80
Dull Chrome	12834DC	142.00	127.80
Pol. Brass	12834PB	142.00	127.80

320 & 340 Center Hung Top Pivots

- Included with Pivots listed above.
- Concealed when door is closed.




- Check out Door Locksets & Latches
- Check out Functional Cabinet Hardware

Please call our experienced technical dept. for additional finishes & functions

7512 Gravity Pivot

Free Swinging-no hold open



Mortise
or
Surface
Mounts

7512-H Gravity Pivot

Hold open at 90°

- Double Acting permits door to swing in either direction.
- Door weight closes door-no spring.
- Non-handed.
- Maximum door size and weight
Width-30", Weight-50 lbs.
- Flat door bracket- for doors 7/8" to 1 1/8" thick
- Flat jamb bracket-1 1/4" wide.
- Steel.
- Standard packaging per box.
(1) Pivot.
(1) Top pivot assembly with jamb bracket.
(8) No. 10 x 1" flat head wood screws.

Finish	Item	Price each	
		1-2	3+
Prime	7512-600	\$24.35	Call
Zinc	7512-603	30.45	Call
Brass	7512-633	30.45	Call
Dull Chrome	7512-652	31.55	Call
Hold Open			
Zinc	7512H-603	31.55	Call

7811-with floor plate

- Max. door weight 90 lbs.
- Door thickness 1 3/8"-1 3/4"
- Max. door width 3'0"
- Hold open at 90°
- Adjustable spring tension.
- Non-handed.
- Steel mechanism
- Double Acting.
- Ball bearing.
- Screws included.



Top Pivot



Item	Finish	Price each	
		1-9	10+
Zinc	7811-603	\$56.65	Call
Brass	7811-632	69.45	Call

3029 Double Acting Hinges

- Door flange is mortised into edge of door.
- Jamb flange is surface applied to jamb.
- Steel material.
- Non-template.
- Non-handed.
- Do not use on doors with hinge edge beveled.
- Screws included

Size	2 Hinges		3 Hinges		Door Thickness
	Door Wt.	Door Width	Door Wt.	Door Width	
3"	35	2'-0"	39	2'-8"	3/4"-1"
4"	60	2'-4"	75	3'-0"	7/8"-1 1/4"
5"	65	2'-8"	93	3'-0"	1 1/8"-1 1/2"
6"	75	2'-8"	107	3'-0"	1 1/4"-1 3/4"



Size	Finish	Item	Price each	
			1-9	10+
3"	Zinc	30293-603	\$33.35	Call
3"	Brass	30293-633	33.35	Call
4"	Zinc	30294-603	35.20	Call
4"	Brass	30294-633	35.20	Call
5"	Zinc	30295-603	48.65	Call
6"	Zinc	30295-633	48.65	Call

7012 & 7112 Surface Pivots

Features:

- Cast Steel Base.
- Double Acting.
- Ball Bearing.
- Non-handed.
- Maximum door size and weight.
Width-36"
Thickness-2 1/2"
Weight-75 lbs.



Accessories (comes w/pivot):

- Flat door bracket-for doors thicker than 1."
- Flat jamb bracket-1 1/4" wide
- Standard packaging per box
(1) Pivot
(1) Ea. jamb & door bracket.
(1) Top pivot assembly with jamb bracket.
(8) No. 12 x 1 1/4" flat head wood screws.
(2) No. 10 x 1" flat head wood screws.

Non-adjustable spring tension.

Finish	Item	Price each	
		1-9	10+
Zinc	7012-603	\$128.55	Call
Dull Brass	7012-633	128.55	Call
Dull Chrome	7012-652	128.55	Call

Adjustable spring tension.

Finish	Item	Price each	
		1-9	10+
Zinc	7112-603	\$134.45	Call
Bright Brass	7112-632	134.45	Call
Dull Brass	7112-633	134.45	Call

We offer a full line of Bommer Products.




If you don't see what
you're looking for,
please call 718-726-8000







SOSS® Medium-Heavy Duty Cabinet & Door Hinges

- Completely concealed
- Tamper proof
- Smooth operation
- Superior construction


Now You See It!



Now You Don't




Dimensions: Inches
mm



See Light Duty Soss Hinges
In the Cabinet Hinge section

Finish	A	B	C	D	E	F	G	H	I	Min. Wood Thickness	Item	Price per pair	
												1-9	10+
Satin Chrome	5/8	29/64	2 3/4	5/64	5/32	1 11/32	3/64	29/32	5/32	1	208-US26D	\$19.54	Call
Satin Brass	15.8	11.5	69.9	3.6	4.0	34.1	1.2	23.0	7.2	25.4	208-US4	19.54	Call
Satin Chrome	3/4	17/32	3 3/4	5/32	3/16	2 1/16	3/64	1 5/64	3/8	1 1/8	212-US26D	36.36	Call
Satin Brass	19.1	13.5	95.3	4.0	4.8	52.4	1.2	27.4	9.5	28.6	212-US4	36.36	Call
Satin Chrome	1	23/32	4 5/8	7/32	1/4	2 19/32	1/16	1 7/16	15/32	1 3/8	216-US26D	53.54	Call
Satin Brass	25.4	18.3	117.5	5.6	6.4	65.9	1.6	36.5	11.9	34.9	216-US4	53.54	Call
Satin Chrome	1 1/8	7/8	4 7/8	3/8	1/4	2 7/16	1/16	1 19/32	1 3/32	1 3/4	218-US26D	56.50	Call
Satin Brass	28.9	22.2	117.5	9.5	6.4	61.9	1.6	40.5	10.3	44.5	218-US4	56.50	Call
Satin Chrome	1 3/8	1 1/16	5 1/2	1/2	5/32	2 15/16	1/16	1 15/16	1 5/32	2	220-US26D	86.10	Call
Satin Brass	34.9	27.0	139.7	12.7	7.1	74.6	1.6	49.2	11.9	50.8	220-US4	86.10	Call

Screws included. Do not exceed "E" dimensions.
See page 2.15 for light duty Soss Hinges




Medium Duty Hinges

Heavy Duty Hinges

Template Guide & Lock Nut

Use with hinge router guide jig.
fits most routers.



- 42024 Guide only, 3/4" O.D. \$6.50
- 42237 Lock Nut for all guides \$2.50

Are you looking for competitive quotes on large quantities of door hardware?

Please call us at 718-726-8000