Single Cylinder

B660 Heavy Duty Single Cylinder

The standard unit. Either an outside key or inside thumbturn can throw or retract the deadbolt. Bolt automatically deadlocks when fully thrown. Includes two keys.

			Price	each
Backset	Finish	Item	1-5	6+
23/8"	Brass	SCB660605	\$78.10	\$72.50
23/8"	Dull Chrome	SCB660626	78.10	72.50
23/4"	Brass	SCB6602605	78.10	72.50
23/4"	Dull Chrome	SCB6602626	78.10	72.50

Functions:

Schlage ANSI B660 E1151



Other

Functions

Other

Functions

& Finishes

Schlage locksets can be combined for quantity pricing



Door Range

1¾" -2" standard. Available for doors over 2" -21/2" and for 13/4" doors. (Call our technical department)

Door Preparation

21/4" Cross bore with metal shield standard or a 1½" cross bore without the shield. One inch bore with a 11/8" x 21/4" square corner faceplate, or 11/16" bore for the drive-in bolt.

(Call our technical department)

Double Cylinder

B662 Heavy Duty Double Cylinder

The double cylinder version of the B600-Series deadbolt. A key from either side throws or retracts the deadbolt. Bolt automatically deadbolts when fully thrown. Includes two keys.

			Price	each
Backset	Finish	Item	1-5	6+
23/8"	Brass	SCB662605	\$99.00	\$91.95
23/8"	Dull Chrome	SCB662626	99.00	91.95
23/4"	Brass	SCB6622605	99.00	91.95
23/4"	Dull Chrome	SCB6622626	99.00	91.95

Functions:

Schlage ANSI B662 E1141





Schlage locksets

can be

combined for

quantity pricing

Folding Door Lock

- · Allows you to lock a folding door
- · Includes 2 keys
- · Finish-Burnished brass
- For doors 3/4"-13/4" thick



	Price each		
Item	1-9	10+	
SK10643	\$12.99	\$10.99	

CONCEPT Dead Bolt Lock

- · Vertical deadbolt lock
- · Single cylinder
- · Flat strike
- · Includes 2 keys
- · Optional metal jam application available (Call our technical dept.)









Sliding Door Lock

- Allows you to lock sliding closet doors
- Easy to install
- Includes 2 keys
- For doors 3/4"-13/4" thick



		Price	eacn
Item	Finish	1-9	10+
Bright Brass	SK10683	\$14.99	\$12.99
Dull Chrome	SK106826D	14.99	12.99



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Choose Knob/Lever Style than choose Rosette/Backplate Style

Solid Brass Leversets with Rosettes

Use: Standard duty interior doors for residential.

Features: Offered in a variety of finishes and styles to complement any decor.

Handing: Handing is required. **Porcelain Knobsets**

with Rosettes Use: Standard duty interior doors for residential.

Features: Common to both American and English hardware, porcelain knobs trun function into style.

Handing: Handing not required. Door Thickness Range: 1%"-2"

Backsets Available:

Supplied with full lip strike and screws. 2%"-Standard, 23/4"-Special order Handing: Handing not required.

Function Codes



Single Dummy Trim-(EM170) Dummy trim for one side of door. Used for door pull or as a matching inactive trim.




Passage Latch-(EM10) Both knobs are always unlocked.



Privacy Lock-(EM40)

Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob/lever or closing door releases button.

SPECIAL ORDER Please Allow 7-10 business days for delivery



Brass lever styles



Cortina (C) shown with Polished **Brass Rosette**



Milano (M) shown with Pewter Rosette



Rustic (R) shown with Antique Brass Rosette



Almond (AL) shown with Pewter Rosette



Bedford (BD) shown with Polished Chrome Rosette



Courtney (CTY) shown with Polished **Brass Rosette**



Devonshire (DV) shown with Porcelain Rosette



Aieron (A)

shown with Polished

Brass Rosette

Ebony (**EB**) shown with Polished Chrome Rosette



Ice White (IW) shown with Pewter Rosette



Olde Gold (OG) shown with Porcelain Rosette



Stoneware (ST) shown with Antique **Brass Rosette**





in Polished Brass finish only

To order knobset, create an item number such as the following example. To order a Privacy lock in an Aieron Lever with a standard rosette with a polished brass finish for a left handed door. Your item number is EM40AS3LH.

Nickel (15)

Chrome

(26)

(15A)

LEVER/ ROSETTE/ **HANDING FUNCTION CODE KNOB STYLE BACKPLATE** FINISH (for levers only) EM40 LH PLEASE CALL FOR PRICING

· Check out Casters, Glides, & Levelers

Wrought Steel Leversets & Knobsets with Rosettes

Use: Standard duty interior doors for residential.

Features: Express a rustic attitude with these traditional designs, compatible with colonial, ranch, southwest and meditteranean themes.

Door Thickness Range: 1\%"-2"" **Backsets Available:**

Supplied with full lip strike and screws. 2%"-Standard, 23/4"-Special order Handing: Handing is required only on levers.

Function Codes



Single Dummy Trim-(EM170) Dummy trim for one side of door. Used for door pull or as a matching inactive trim.



Passage Latch-(EM10) Both knobs are always unlocked.




Privacy Lock-(EM40)

Push-button locking. Can be opened from outside with small screwdriver.

Turning inside knob/lever or closing door releases button.

SPECIAL ORDER **Please Allow** 7-10 business days for delivery



If hinge is on the left, door is Left Hand (LH). If hinge is on the right, door is Right Hand (RH)

Rosette styles



Rosette 1

(R1)



(R2)



Rosette 3 (R3)

Knob styles



Savannah (SV) shown with Style 1 Rosette



Jamestown (JT) shown with Style 2 Rosette

Lever styles



Normandy (N) shown with Style 3 Rosette



San Carlos (SC) shown with Style 3 Rosette



Lafayette (L) shown with Style 3 Rosette

Finishes





(FB)

Satin Steel (SS)

Ordering Info

To order knobset, create an item number such as the following example. To order a Privacy lock in a Savannah knob with Rosette 1 with Flat Black finish. Your item number is EM40SVR1FB.

	LEVER/	ROSETTE/		HANDING
FUNCTION CODE	KNOB STYLE	BACKPLATE	FINISH	(for levers only)
EM40	SV	R1	FB	RH or LH
	PLEASE (CALL FOR PRICING	3	

Solid Brass Deadbolts

Serious Security in an attractive package. Deadbolts have solid brass cylinders & housings.

Single Cylinder: Either an outside key or an inside thumbturn can throw or retract the deadbolt.

Double Cylinder: A key from either side throws or retracts the deadbolt. Door Thickness Range: 1%"-2"

Backsets:

2³/₈"-Standard, 2³/₄"-Special order **Door Preperation:** 21/8" Cross bore.





Finish Item SINGLE CYLINDER Polished Brass EM8450US3 **Antique Brass** EM8450US5 Chrome EM8450US26 Oil-Rubbed Bronze EM8450US10B Pewter EM8450US15A **DOUBLE CYLINDER** Polished Brass EM8350US3 **Antique Brass** EM8350US5 Chrome EM8350US26 Oil-Rubbed Bronze EM8350US10B

PLEASE CALL FOR PRICING

EM8350US15A



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Traditional Knobsets with Rosettes

Use: Standard duty interior doors for residential.

Features: Common to both American and English hardware, porcelain knobs turn function into style.

Handing: Handing required on levers only.

Crystal Knobsets with Rosettes

Use: Standard duty interior doors for residential.

Features: Common to both American and English hardware, porcelain knobs trun function into style.

Handing: Handing not required. Door Thickness Range: 1%"-2"

Backsets Available:

Supplied with full lip strike and screws. 2%"-Standard, 2%"-Special order


Function Codes



Single Dummy Trim-(EM170) Dummy trim for one side of door. Used for door pull or as a matching inactive trim.




Passage Latch-(EM10) Both knobs are always unlocked.



Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob/lever or closing door

SPECIAL ORDER Please Allow 7-10 days for delivery

releases button.



If hinge is on the left, door is Left Hand (LH). If hinge is on the right, door is Right Hand (RH)



Egg Knob (E) shown with Polished **Brass Rosette**

Victoria Knob (VK)

shown with Polished

Brass Rope Rosette

Olde Town Amber

(ATO)

(26)



Providence (P) shown with Polished Chrome Rosette






Rope Knob (**RK**) shown with Polished Brass Rope Rosette



Rope Lever (RL) shown with Polished Brass Rope Rosette



shown with Pewter Rosette

(OT)



shown with Rope Rosette




Diamond (CK) shown with Pewter Rosette



Olde Town White (OTW) shown with Satin



Olde Town Violet (OTV) shown with



Ordering Info

in Polished Brass finish only

To order knobset, create an item number such as the following example. To order a passage latch in an Diamond knob with a standard rosette with a Pewter finish. Your item number is EM10CKS15A.

iiiisii. iodi iteiii iidi	LEVER/	ROSETTE/		HANDING
FUNCTION CODE	KNOB STYLE	BACKPLATE	FINISH	(for levers only)
EM10	CK	S	15A	RH or LH
	PLEASE (CALL FOR PRICING	G	

Lock Sets

Use: Standard duty interior doors for residential.

Features: Common to both American and English hardware, porcelain knobs turn function into style.

Handing: Handing required on levers only.

Door Thickness Range: 1%"-2" Backsets Available:

Supplied with full lip strike and screws.

T-Strike is available.

2%"-Standard, 234"-Special order


Any style knob or lever from pages ?-? can be ordered with the keyed backplates.

Function Codes



Privacy Lock-(EM40)
Push-button locking.
Can be opened from
outside with small screwdriver. Turning inside
knob/lever or closing door
releases button.

SPECIAL ORDER Please Allow 7-10 days for delivery



If hinge is on the right, door is

Right Hand (RH)

Keyed locksets



Keyed Egg knob (**KE**)



Keyed Providence knob (**KP**)



Keyed Cortina lever (KC)

Keyed Backplate locksets



Keyed Quincy Backplate (**KQB**)*



Keyed Belmont Backplate (KBB)*



Keyed Victoria Backplate (KVB)*

^{*} Available in polished brass only



Outside Inside Keyed Colonial Backplate (KCB)

Finishes US Standard Number Polished **Antique** Oil Rubbed **Brass** Brass **Bronze** (10B) (3) (5) Pewter Polished Satin Nickel (15) (15A)Chrome (26)

Ordering Info

To order knobset, create an item number such as the following example. To order a Diamond knob with a standard rosette with a Pewter finish.

Your item number is **EM10CKS15A**.

FUNCTION CODE

EM40

LEVER/ RIKNOB STYLE BA

ROSETTE/ BACKPLATE FINI

15A

HANDING FINISH (for levers only)

CK KCB Please Call for Pricing



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Door Locks Series A

Styles: Orbit/ Plymouth

Use: Heavy duty residential and commercial. Considered the "standard of excellence" in the industry. Ideal for quality residential and medium duty commercial.

Features: Exceeds ANSI Grade requirements. Turn/push button provides visible locking status. Solid brass pin cylinder. Cold rolled steel lock housing coated for corrosion resistance.

Door Thickness Range: 1%" to 1%" Backsets Available: Supplied with strikes and screws. 2%"-Standard,

for 2³/₄"-please specify

Keying: All cylinders will be keyed differently. Includes two keys. Special keying available on 6 or more locks. Please ask for our special keying form.

Heavy Duty Residential & Medium Duty Commercial





SCHLAGE®



PLYMOUTH



Schlage locksets can be combined for quantity pricing

Lockset Functions Single Dummy Trim Dummy trim for one side of door. Used for door pull or as a matching inactive Passage Latch Both knobs are always unlocked. **Privacy Lock** Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob/lever or closing door releases button. **Entrance Lock** Turn/push-button locking; pushing and turning button locks outside knob/lever requiring key until button is manually unlocked. Push-button locking: pushing button locks outside knob/lever until

unlocking by key or by turning inside

knob/lever.

				Price	
Function	Style	Finish	Item	1-5	6+
Single Dummy	Orbit	Satin Chrome	A170O626	\$20.79	\$19.31
	Orbit	Bright Brass	A170O605	23.87	22.17
	Plymouth	Satin Chrome	A170P626	20.79	19.31
		Bright Brass	A170P605	23.87	22.17
Passage	Orbit	Satin Chrome	A100626	41.05	38.48
ū	Orbit	Bright Brass	A10O605	50.40	47.25
	Plymouth	Satin Chrome	A10P626	41.05	38.48
		Bright Brass	A10P605	50.40	47.25
Privacy	Orbit	Satin Chrome	A40O626	49.90	46.35
•	Orbit	Bright Brass	A40O605	56.35	52.33
	Plymouth	Satin Chrome	A40P626	49.90	46.35
	Plymouth	Bright Brass	A40P605	56.35	52.33
Entrance	Orbit	Satin Chrome	A53O626	85.33	79.24
	Orbit	Bright Brass	A53O605	91.80	91.80
		Satin Chrome	A53P626	85.33	79.24
		Bright Brass	A53P605	91.80	91.80
		J			

Door Locks Series AL

Standard Duty SCHLAGE®

Styles: Neptune/ Jupiter/ Saturn Use: Standard duty exterior and interior doors for commercial, industrial, institutional, public buildings, and heavy duty residential.

Features: Exceeds requirements for the abusive commercial Grade 2 applications. True through-bolting of door prevents lock chassis rotation and disengagement from latch. Deadlocking plunger. Key removable lever.

Door Thickness Range: 1%" to 1%" **Backsets Available:**

Supplied with strike and screws. 2¾"-Standard, 2¾"-Special order Keying: All cylinders will be keyed differently. Includes two keys. Special keying available on 6 or more locks. Please ask for our special keying form.



Lockset	Functions



Single Dummy Trim

Dummy trim for one side of door. Used for door pull or as a matching inactive trim.



Passage Latch

Both knobs are always unlocked.



Privacy Lock

Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob/lever or closing door releases button.



Entrance Lock

Turn/push-button locking; pushing and turning button locks outside knob/lever requiring key until button is manually unlocked. Push-button locking: pushing button locks outside knob/lever until unlocking by key or by turning inside knob/lever.



Classroom Lock

Outside knob/lever locked and unlocked by key. Inside knob/lever always unlocked.



Storeroom Lock

Outside knob/lever fixed. Entrance by key only. Inside knob/lever always unlocked.

1			·	Price	each
Function	Style	Finish	Item	1-5	6+
Single Dummy	Neptune	Satin Chrome	AL170N626	\$50.82	\$47.19
	Neptune	Bright Brass	AL170N605	53.90	50.05
	Jupiter	Satin Chrome	AL170J626	50.82	47.19
	Jupiter	Bright Brass	AL170J605	53.90	50.05
	Saturn	Satin Chrome	AL170S626	46.43	41.58
	Saturn	Bright Brass	AL170S605	53.90	50.05
Passage	Neptune	Satin Chrome	AL10N626	90.86	84.37
	Neptune	Bright Brass	AL10N605	96.25	89.38
	Jupiter	Satin Chrome	AL10J626	90.86	84.37
	Jupiter	Bright Brass	AL10J605	96.25	89.38
	Saturn	Satin Chrome	AL10S626	90.86	84.37
	Saturn	Bright Brass	AL10S605	96.25	89.38
Privacy	Neptune	Satin Chrome	AL40N626	103.95	96.53
	Neptune	Bright Brass	AL40N605	109.34	101.53
	Jupiter	Satin Chrome	AL40J626	103.95	96.53
	Jupiter	Bright Brass	AL40J605	109.34	101.53
	Saturn	Satin Chrome	AL40S626	103.95	96.53
	Saturn	Bright Brass	AL40S605	109.34	101.53
Entrance	Neptune	Satin Chrome	AL53N626	133.21	123.70
	Neptune	Bright Brass	AL53N605	138.60	128.70
	Jupiter	Satin Chrome		133.21	123.70
	Jupiter	Bright Brass	AL53J605	138.60	128.70
	Saturn	Satin Chrome		133.21	123.70
	Saturn	Bright Brass	AL53S605	138.60	128.70
Classroom	Neptune	Satin Chrome	AL70N626	133.21	123.70
	Neptune	Bright Brass	AL70N605	138.60	128.70
	Jupiter	Satin Chrome		133.21	123.70
	Jupiter	Bright Brass	AL70J605	138.60	128.70
	Saturn	Satin Chrome	AL70S626	133.21	123.70
	Saturn	Bright Brass	AL70S605	138.60	128.70
Storeroom	Neptune	Satin Chrome	AL80N626	133.21	123.70
	Neptune	Bright Brass	AL80N605	138.60	128.70
	Jupiter	Satin Chrome		133.21	123.70
	Jupiter	Bright Brass	AL80J605	138.60	128.70
	Saturn	Satin Chrome	AL80S626	133.21	123.70
	Saturn	Bright Brass	AL80S605	138.60	128.70
	Schlage	locksets can b	e combined fo	r quanti	ty pricing



Extra Heavy Duty Commercial

Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453



SCHLAGE®

Styles: Athens/ Rhodes/ Sparta **Use:** Extra Heavy Duty Commercial.

Top of the Line in heavy duty cylindrical locking applications. Commercial quality "Series D" locks are specified when the highest possible quality mechanism is required. Best suited for commercial, institutional, industrial

and government use.

Features: Non-handed levers. Cold rolled steel lock housing, coated for

corrosion resistance.

Door Thickness Range: 1%" to 2"

Backsets Available: Supplied with strikes and screws. 2¾"-Standard, 2¾"-Special order. **Keying:** All cylinders will be keyed differently. Includes two keys. Special keying available on 6 or more locks.

on 6 or more locks.

Please ask for our special keying form.





RHODES

SPARTA

Lockset Functions



Single Dummy Trim

Dummy trim for one side of door. Used for door pull or as a matching inactive trim.



Passage Latch

Both knobs are always unlocked.



Privacy Lock

Push-button locking. Can be opened from outside with small screwdriver. Turning inside knob/lever or closing door releases button.



Entrance Lock

Turn/push-button locking; pushing and turning button locks outside knob/lever requiring of key until button is manually unlocked. Push-button locking: pushing button locks outside knob/lever until unlocking by key or by turning inside knob/lever.



Classroom Lock

Outside knob/lever locked and unlocked by key. Inside knob/lever always unlocked.




Storeroom Lock

Outside knob/lever fixed. Entrance by key only. Inside knob/lever always unlocked.

	25A	KIA		Price each
Function	Style	Finish	Item	1-5 6+
Single Dummy	Athens Rhodes	Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass	D170ATH626 D170ATH605 D170RH0626 D170RH0605 D170SP626 D170SP605	\$64.68 \$60.06 67.76 62.92 64.68 60.06 67.76 62.92 64.68 60.06 67.76 62.92
Passage		Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass	D10ATH626 D10ATH605 D10RHO626 D10RHO605 D10SP626 D10SP605	150.15 139.43 155.54 144.43 150.15 139.43 155.54 144.43 150.15 139.43 155.54 144.43
Privacy		Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass	D40ATH626 D40ATH605 D40RHO626 D40RHO605 D40SP626 D40SP605	173.25 160.88 178.64 165.88 173.25 160.88 178.64 165.88 173.25 160.88 178.64 165.88
Entrance		Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass	D53ATH626 D53ATH605 D53RHO626 D53RHO605 D53SP626 D53SP605	197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76
Classroom		Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass	D70ATH626 D70ATH605 D70RHO626 D70RHO605 D70SP626 D70SP605	197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76
Storeroom S	Rhodes Sparta Sparta	Satin Chrome Bright Brass Satin Chrome Bright Brass Satin Chrome Bright Brass ocksets can be	D80ATH626 D80ATH605 D80RHO626 D80RHO605 D80SP626 D80SP605 combined for 6	197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76 197.89 183.76 203.28 188.76 quantity pricing

Check out Decorative Knobs & Pulls





Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Door Locks SIMPLEX LOCKS

Styles: L1000/1000 series

Use: Use in hospitals, commercial or industrial buildings, apartments, dormitories and schools. Two access control functions are available in addition to standard combination access control.

Key Override: Schlage/Primus

Allows a facility to maintain or initiate a keyed alike security system with the same core system already in use. The key is normally only in the hands of security or management personnel and will override the lock's combination to gain entry. Passage Feature: Allows access without using the entry code (keeps the door unlocked even while closed). Can be activated by either a thumbturn or a key from inside.

Door Thickness Range: 1\%" to 2\%"

Handing: Levers are handed at the factory and cannot be changed in the field, and have a free egress funtion at all times.



Specs: Front is 7%"H x 31/8"W, 33/6" Deep including handle Back is 9"H x 31/4"W

Access	Style	Handing	Item	Price each
Combination	Knob	_	SP1011	\$300.24
	Lever	Right	SPL1011R	\$375.00
	Lever	Left	SPL1011L	\$375.00
Combination/ Key	Knob Lever Lever	– Right Left	SP1021 SPL1021R SPL1021L	\$381.83 \$474.26 \$474.26


Von Morris Pocket Door Lock

- Polished Brass Finish
- Engineered for durability, ease of installation and versatility.
- Case size: 3½" x 5¾" x ¾6"
- Front: Heavy steel with zinc dichromate finish. %" x 8" front is sized to allow installation in double door installations and the use of standard mouldings.
- Brass Hook Bolt can be finished to match the trim
- Edge Pull is released with a push on the retracted hook bolt.
- Backset: 21/2"
- For use on doors from 1%" to 3" thick.

Description	Item	1-4 \$92.34	5+
Lock Body	9200-605		\$76.95
Privacy Latch Trim	8201-605	78.48	
Privacy Cam Disk Kit	9012-605	23.10	
Keyed Latch Trim Single Cylinder Kit (Schlage C-Way, 3 Pir	8203-605 9015-605 n)	78.48 37.53	



- Trim Size: 71/4"H x 21/2"W
- Recess Depth: %"
- Forged turnpiece with backplate and drop ring designed to eliminate visible scratches on the recessed plate.
- Emergency Release operates with coin or flat tip screw driver.



Satin Nickel, Polished Chrome, Satin Chrome, Oil Rubbed Bronze Can be special ordered 7-10 days