

Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Flush Pulls- Low profile for sliding, bi-fold and pocket doors.

Heavy Duty Pull

- Size 15/16" x 31/8" x 7/16"
- Two piece construction
- Includes screws.



| | | Price each | | | |
|------------|---------|------------|--------------|--|--|
| Finish | Item | 1-9 | 10-19 20+ | | |
| Chrome | 222B26 | \$16.05 | \$14.85 Call | | |
| Satin Chr. | 222B26D | 16.05 | 14.85 Call | | |
| Brass | 222B3 | 16.05 | 14.85 Call | | |

Oblong Pull

- Size 31/16" x 15/16" x 1/2"
- Includes screws.



| | | | 11100 | Cacii | |
|--|-----------|---------|--------|--------|------|
| | Finish | Item | 1-9 | 10-19 | 20+ |
| | Chrome | 223B26 | \$4.78 | \$4.30 | Call |
| | Satin Chr | 223B26D | 4.78 | 4.30 | Call |
| | Rrass | 223B3 | 4 78 | 4 30 | Call |

Contoured Grip

- Size 3%" x 1¾" x ¾6"
- · Includes screws.



| | | Pric | e each |
|------------|---------|--------|-------------|
| Finish | Item | 1-9 | 10-19 20 |
| Chrome | 227B26 | \$7.40 | \$6.66 Call |
| Satin Chr. | 227B26D | 7.40 | 6.66 Call |
| Brass | 227B3 | 7.40 | 6.66 Call |

5.02 4.52 Call

Reverse Tapered Grip

• Size 15/16" x 31/8" x 7/16"

· Includes screws.

| | | o oao. | • |
|--------|-----------------|---|---|
| Item | 1-9 | 10-19 | 20+ |
| 22B26 | \$2.38 | \$2.14 | Call |
| 22B26D | 2.38 | 2.14 | Call |
| 22B3 | 2.38 | 2.14 | Call |
| | 22B26 22B26D | 22B26 \$2.38 22B26D 2.38 | 22B26 \$2.38 \$2.14 22B26D 2.38 2.14 |

Pull with Built-In Prongs

- · Built-in prong design eliminates the need for screws or brads
- · Packed with two escutcheon pins for added holding power.
- Cup depth 1/16"





| Cup Overall | | | Pri | ce each |
|-------------|---------------------|--|---|--|
| Dia. | Dia. | Item | 1-9 | 10-19 20+ |
| 2" | 2 ⁵ /16" | 220B26D | \$2.87 | \$2.58 Call |
| 21/8" | 2 ⁷ /16" | 221B26D | 2.87 | 2.58 Call |
| 21/8" | 27/16" | 221B3 | 2.87 | 2.58 Call |
| | Dia. 2" 21%" | Dia. Dia. 2" 2 ⁵ /16" 2 ¹ /8" 2 ⁷ /16" | Dia. Dia. Item 2" 25/16" 220B26D 21/8" 27/16" 221B26D | Dia. Dia. Item 1-9 2" 25/16" 220B26D \$2.87 2½" 2½16" 221B26D 2.87 |

Pull with Brads or Screws

- 225 cup depth 3/4", includes brads.
- 226 cup depth 1/16", includes screws.



| | | | | | , | |
|------------|-------|--------|---------|--------|-------|------|
| | Cup (| Overal | l Ì | Price | each | |
| Finish | Dia. | Dia. | Item | 1-9 | 10-19 | 20+ |
| Satin Brnz | z 1½" | 1³/₄" | 225B10 | \$3.10 | 2.79 | Call |
| Chrome | 1½" | 13/4" | 225B26 | 3.10 | 2.79 | Call |
| Satin Chr. | 1½" | 13/4" | 225B26D | 3.10 | 2.79 | Call |
| Brass | 1½" | 1¾" | 225B3 | 3.10 | 2.79 | Call |
| Chrome | 21/8" | 21/2" | 226B26 | 5.02 | 4.52 | Call |
| Satin Chr. | 21/8" | 21/2" | 226B26D | 5.02 | 4.52 | Call |

Pull with Ring

- For use on bi-fold doors
- 425 cup depth 3/8"
- 426 cup depth 1/16"
- · Includes screws



Price each

| Cup Overall | | | Price each | | |
|-------------|------------|-------|------------|---------|-------------------|
| | Finish | Dia. | Dia. | Item | 1-9 10-19 20+ |
| | Chrome | 1½" | 13/4" | 425B26 | \$7.28\$6.55 Call |
| | Satin Chr. | 11/2" | 13/4" | 425B26D | 7.28 6.55 Call |
| | Brass | 1½" | 1¾" | 425B3 | 7.28 6.55 Call |
| | Chrome | 21/8" | 21/2" | 426B26 | 9.26 8.33 Call |
| | Satin Chr. | 21/8" | 21/2" | 426B26D | 9.26 8.33 Call |
| | Brass | 21/8" | 21/2" | 426B3 | 9.26 8.33 Call |
| | | | | | |

Sliding Door Lock

- Fits doors 1\%" to 1\%" thick
- Universal handing
- · Includes mounting hardware




| | | Price each | | |
|--------|--------|------------|---------|------|
| Finish | Item | 1-9 | 10-19 | 20+ |
| Brass | 991B3 | \$14.73 | \$13.26 | Call |
| Chrome | 991B26 | 14.73 | 13.26 | Call |

Sliding Door Edge Pull

2¹/₈" 2¹/₂" **226B3**

- The ¾" width allows installation on narrow. as well as standard doors.
- · Spring automatically returns lever flush with plate.
- Size 37/8" x 3/4" x 15/8"
- Includes screws.

Brass



Pocket Sliding Door Bolt

- · Emergency release of bolt from outside the door.
- · Easily secures pocket sliding doors.
- Spring activated design allows feather-touch action.
- · Brass grommet supplied to cap release hole, protecting the door's finish.
- Size of strike 1" x 3/4" Depth of mortise 5%"
- · Overall size plate:

31/16" x 11/8"


· Includes screws, grommet and template

| grommet and template. | | | | | |
|-----------------------|------------|--------|--------|------|--|
| | Price each | | | | |
| Finish | Item | 1-9 | 10-19 | 20+ | |
| Brass | 42B3 | \$8.66 | \$7.79 | Call | |



Check out Storage & Convenience

Edge Pull



| Finish | Item | 1-9 | 10-19 | 20+ |
|-----------------|--------------|---------|---------|------|
| Polished Chrome | RJ158US261 | \$47.50 | \$38.00 | Call |
| Dull Chrome | RJ158US26D1 | 47.50 | 38.00 | Call |
| Polished Brass | RJ158US31 | 47.50 | 38.00 | Call |
| Dull Brace | D 11E011C/11 | 47 FO | 38 UU | Call |

Other Finishes & Sizes Available for Special Order

Extension Flush Bolt For Installations Not Requiring U.L. Label

- Use as top and bottom flush bolts to secure the inactive leaf of a pair of swinging non-fire doors where a U.L. Label is not required.
- Simplified installation in metal frames round bolt head requires only a punched hole. Use of strike optional. Special design of guide and flat side on bolt head prevent bolt from turning.
- Standard length of rod is 12". Call for additional lengths.
- Rod backset ⁵/₈"
- Square bolt head ½"
- Throw 3/4"
- Includes template, installation instructions, machine and wood screws.





| | | Price (| each |
|------------|-----------|---------|------|
| Finish | Item | 1-9 | 10+ |
| Satin Chr. | IV256B26D | \$27.63 | Call |
| Brass | IV256B3 | 27.63 | Call |

Extension Flush Bolts For Labeled Metal Doors.

457 & 458 for use as top and bottom flush bolts to secure the inactive leaf of a pair of swinging fire doors, with the active door provided with a listed single point latch.

- 457 & 458 brass only is U.L. Listed for use in hollow metal, metal clad, steel-covered composite, and sheet metal fire doors
- Standard length of rod is 12".
 Call for additional lengths.
- Rod backset ³/₄"
- Dia. of bolt head 1/2"
- Throw ³/₄"
- Includes template, installation instructions, machine and wood screws.





Brass



18.99

Call

Call

 458 - 1" Wide

 Sat. Brnz
 IV458B10
 17.99
 Call

 Oil Brnz
 IV458B10B
 17.99
 Call

 Chrome
 IV458B26
 17.99
 Call

 Satin Chr.
 IV458B26D
 17.99
 Call


 Brass
 IV458B3
 17.99
 Call

Satin Chr. IV457B26D 18.99

IV457B3

Brass Flush Ring Pulls





A. Plate Dia.: 1½"-Inside Ring Dia.: ½"

| | Price each | | | | |
|------------------|--------------|---------------|------|--|--|
| Finish | Item | 1-19 | 20+ | | |
| Pol. Brass | 0390-030 | \$16.20 | Call | | |
| Satin Chrome | 0390-264 | 16.20 | Call | | |
| Pol. Chrome | 0390-260 | 16.20 | Call | | |
| B. Plate Dia.: 1 | 1¾"–Inside I | Ring Dia.: ¾" | | | |

| | | Price each |
|------|-----|------------|
| nish | Ite | em 1- |

| Finish | Item | 1-19 | 20+ |
|--------------|----------|---------|------|
| Pol. Brass | 0391-030 | \$16.20 | Call |
| Satin Chrome | 0391-264 | 16.20 | Call |
| Pol. Chrome | 0391-260 | 16.20 | Call |

Brass Flush Ring Pulls

- Solid forged construction for maximum strength and durability.
- Flush ring pulls are recommended for marine use and where flush installation is essential.


A. Plate Dim.: 1%" x 2%"-Inside Ring Dia.: 1"

 Finish
 Item
 1-19
 20+

 Polished Brass
 0394-030
 \$22.10
 Call

B. Plate Dim.: 3½" x 3½"-Inside Ring Dia.: 1¾"

| D. 1 late Dilli 3/2 | X 3 12 | maide | Price each | |
|----------------------------|--------|-------|------------|------|
| Finish | Item | | 1-19 | 20+ |
| Polished Brass | 0397 | -030 | \$97.30 | Call |



Door & Window Accessories



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Dust Proof Strikes for Flush Bolts

- · 487 Includes screws and lead shields.
- 488 and 489 engineered design provides positive closing action and eliminates binding.
- 488 can be locked in up position, by rotating plunger with screwdriver or coin. Eliminates trapping of spike heels.
- **489** is recommended for use with self-latching and automatic flush bolts or panic bolts. Will not lock-up or down.
- 488 and 489 accommodate thresholds up to 1/4" thick.






| • | 0. |
|---|-----|
| | 487 |

| | | Price each | | |
|----------------------------------|----------|------------|------|--|
| Finish | Item | 1-9 | 10+ | |
| Satin Chr. | 487B26D* | \$8.98 | Call | |
| Satin Chr. | 488B26D | 16.71 | Call | |
| Satin Chr. | 489B26D | 16.71 | Call | |
| Brass | 489B3 | 16.71 | Call | |
| * Plate & strike sold separately | | | | |

Barrel Bolts

- The ultimate in simplicity, strength and security; further enhanced by crisp and contemporary styling.
- Steel with zinc plating.
- Non-Handed.
- Bolt dia. 5/16"
- Overall width 11/4"
- Projection ¹⁵/₃₂"
- Throw 5/8"



Strike

Surface strike insures easy mounting on any door trim condition.

| | | Price each | | |
|-------|---------|------------|------|--|
| Lgth. | Item | 1-9 | 10+ | |
| 2" | FE90ZP2 | \$1.28 | Call | |
| 3" | FF907P3 | 1 47 | Call | |

Concealed Screw Surface Bolt

- · Concealed screws.
- · Permanent stop locks rod to track.
- · Tension spring holds bolt in desired position.
- Decorative knob.
- Width 5/8"
- Projection 3/4"
- Includes both universal and mortise strikes and screws.



| | | | | Price 6 | each |
|-------|---------------------------------|------------|-----------|---------|------|
| Lgth. | Throw | Finish | Item | 1-9 | 10+ |
| 2" | ⁷ /16" | Chrome | 40B26-02 | \$11.48 | Call |
| 2" | ⁷ /16 " | Satin Chr. | 40B26D-02 | 11.48 | Call |
| 2" | ⁷ /16" | Brass | 40B3-02 | 11.48 | Call |
| 2" | ⁷ /16" | Sat. Alum | 40PA28-2 | 11.48 | Call |
| 3" | ¹¹ / ₁₆ " | Chrome | 40B26-03 | 11.48 | Call |
| 3" | ¹¹ / ₁₆ " | Brass | 40B3-03 | 11.48 | Call |
| 3" | ¹¹ / ₁₆ " | Sat. Alum | 40PA28-03 | 11.48 | Call |
| 4" | ¹⁵ /16" | Chrome | 40B26-04 | 12.69 | Call |
| 4" | ¹⁵ / ₁₆ " | Satin Chr. | 40B26D-04 | 12.69 | Call |
| 4" | ¹⁵ /16" | Brass | 40B3-04 | 12.69 | Call |
| 6" | ¹⁵ /16" | Satin Chr. | 40B26D-06 | 14.75 | Call |
| 6" | ¹⁵ / ₁₆ " | Brass | 40B3-06 | 14.75 | Call |
| 9" | ¹⁵ / ₁₆ " | Satin Chr. | 40B26-09 | 14.75 | Call |

Flush Bolt

- Exceptionally smooth working
- Double action spring design provides automatic holding of brass bolt in projected or retracted position, and assures ease of operation in conjunction with deep cup finger hole.
- Rod Backset 15/32"
- Dia. of bolt head 1/2"
- Throw 1"
- · Includes screws



| | | FIICE Eacii | | |
|------------|---------|-------------|------|--|
| Finish | Item | 1-9 | 10+ | |
| Satin Chr. | 262B26D | \$20.86 | Call | |
| Brass | 262B3 | 20.86 | Call | |

Barrel Bolts

- · The ultimate in simplicity, strength and security; further enhanced by crisp and contemporary styling.
- Solid brass construction
- Non-Handed.
- Bolt dia. 5/16"
- Overall width 11/4"
- Projection 15/32"
- Throw 5/8"

Strike

· Surface strike insures easy mounting on any door trim condition.



87B26







| Lgth | . Finish | Item | Price each 1-19 20+ |
|---------------------------------|--------------------|---------------|--------------------------------|
| 2 ¹ / ₄ " | Pol. Chr. Brass | 87B26 88B3 | \$16.28 \$14.80 14.34 13.04 |
| s STR | 2.400 | 00D3 | 14.34 13.04 |
| - | Pol. Chr. | 09-30-605 | 5.75 each |
| _ | Brass | 09-30-625 | 5.75 each |

Flush Bolt

- Deep cup provides good finger hold, allows easy operation.
- Brass bolt automatically held in projected or retracted position by unique spring design.
- Rod Backset 15/32"
- Dia. of bolt head 5/16"
- Throw 3/4"
- Includes screws



| | | Price | each |
|------------|---------|---------|------|
| Finish | Item | 1-9 | 10+ |
| Satin Chr. | 261B26D | \$14.47 | Call |
| Brass | 261B3 | 14.47 | Call |

- Check out Cabinet Hinges
- · Check out Lighting & Wire Management


Push Latches

- · For secret panels, doors and cabinets.
- · Push action opens and closes doors.
- · Use where concealed hardware is desired.
- Eliminates need for pulls or knobs; enhances styling and clean appearance of fine furniture and cabinets.
- Simple installation; surface mounted, no mortising required.
- · Narrow case design for low profile.



A.Case size: 25/16" x 11/2" x 5/16"

- · Steel Construction, Heavy gauge parts.
- Includes installation instructions, template and screws.



B. Case size: 2" x 23/8" Strike size: 2" x 23/4"

| | | Price each | |
|----------------|-----------|------------|------|
| Finish | Item | 1-19 | 20+ |
| A.Zinc Plated | 820F2C | \$4.60 | Call |
| A.Brass Plated | 820F3 | 4.60 | Call |
| B.Satin Chrome | 602-US26D | 26.00 | Call |

Brass Surface Bolt

- Stainless steel tension spring prevents rod disengagement from guide and holds bolt in desired position.
- Half round rod %"
- Overall width 13/16"
- Projection 3/4"

Dull chrome finish

 Includes both universal and angle strikes and screws.



Many other sizes and finishes are available.

Transom Chain

- Plate 1½" x 1"
- · Includes screws.



| Chain | | Price 6 | each | |
|--------|--------|----------|--------|------|
| Length | Finish | Item | 1-19 | 20+ |
| 12" | Nickel | 82F14-12 | \$5.46 | Call |
| 12" | Brass | 82F3-12 | 5.46 | Call |
| | | | | |

Mighty-Mite® Heavy Duty Magnetic Catch

- · Load capacity 9 lb.
- · Self-aligning magnets insure max. pull.
- Can be surface mounted or mortised.
- · Dual double pole.
- Includes instructions, sheet metal screws and one long & two short strikes.
- Case size: 3½" x 1" x ½6"
 Aluminum





| | | Price each | | |
|---------|--------|------------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Brass | 326A3 | \$5.88 | Call | |
| Natural | 326A92 | 5.88 | Call | |

Super-Mite® Heavy Duty Magnetic Catch

- · Load capacity 14 lb.
- · Self-aligning magnets insure max. pull.
- Can be surface mounted or mortised.
- · Dual double pole.
- Includes instructions, sheet metal screws and one long & two short strikes.
- Case size:
 3½" x 1" x ¾"
- Aluminum



| | | Price | e each | |
|---------|--------|---------|--------|--|
| Finish | Item | 1-19 | 20+ | |
| Brass | 327A3 | \$10.34 | Call | |
| Natural | 327A92 | 10.34 | Call | |

Invisible Latches

AA latch ideal for cabinet doors, small panels, or light doors.





 Case size: 2¼Hx1¼"Dx%6"W

Invisible Latches

Larger **BB** unit is recommended for use on larger panels or light doors.




• Case size: 21/4Hx11/4"Dx9/16"W



Auxiliary Pusher

Used in conjunction with **AA** or **BB**, where hinges or surrounding conditions require additional opening power.





Please Call 718-726-8000 for Pricing and Finishes

Silencer For motal

For metal or wood door frames.



| | Price per 100 | | | |
|-------|---------------|---------|-------|--|
| Frame | Item | 100-900 | 1000+ | |
| Metal | GJ64 | \$12.99 | Call | |
| Wood | GJ65 | 14.99 | Call | |

One-Way Viewer (Wide Angle)

- Lens projects ¼" from face of door.
- 4 optical glass lenses.
- Solid brass body and barrel.
- 190° one way vision
- Simple installation–requires only a %16" hole.

Door thickness 1³/₈" x 2¹/₈"





Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Roller Latch

- Fits heavy duty cylindrical lock mortise.
- Silent nylon roller with 2¾" x 1½" strike.
- · Knurled nut on back of latch provides easy adjustment of roller projection.

· Includes screws.





| | | Price each | | | |
|-----------|------------|------------|---------|------|--|
| Finish | Item | 1-9 | 10-19 | 20+ | |
| Stainless | 3GJ32US32D | \$66.00 | \$59.40 | Call | |
| Brass | 3GJ32US3 | 66.00 | 59.40 | Call | |

Roller Latch

- Silent nylon roller with 2¼" x 111/16" strike.
- Projection of roller is easily adjusted by way of adjusting screws on face of unit.
- · Includes screws.





| | | Price each | | |
|-------------|-----------|------------|---------|------|
| Finish | Item | 1-9 | 10-19 | 20+ |
| Chrome | GJ30US26 | \$49.00 | \$44.10 | Call |
| Sat. Chrome | GJ30US26D | 49.00 | 44.10 | Call |
| Brass | GJ30US3 | 49.00 | 44.10 | Call |

Ball Type Latch

Ideal for holding closet doors, access doors, hook enters only from either side, front or back.



| Hook is 1¾" H | | Price | each |
|---------------|------------|---------|------|
| Finish | Item | 1-19 | 20+ |
| Satin Chr. | GJ21AUS26D | \$28.43 | Call |
| Brass | GJ21AUS3 | 28.43 | Call |

Roller Catch 333 Series

- · For cabinet and interior doors.
- · Smooth, positive latching action insured by powerful conical spring.
- · Full lip style strike for simplified mortising.
- Face plate 21/4" x 7/8"
- Strike 21/4" x 15/8"
- Lip 1%" to Center
- Bore 3/4" x 13/4"
- · Includes sheet metal screws.





| | Price each | | | |
|-----------|------------|--------|--------|------|
| Finish | Item | 1-9 | 10-19 | 20+ |
| Sat. Chr. | 333B26D | \$8.80 | \$7.92 | Call |
| Brass | 333B3 | 8.80 | 7.92 | Call |

Roller Catch 335 Series

- Full lip style strike for simplified mortising.
- · Smooth, positive latching action insured by powerful conical spring.
- Nylon roller insures quiet operation.
- Adjustable tension.
- Easily installed on thin doors.
- Strike 2¼" x 1¾", Lip 1%" to Center
- Face plate 2¼" x ½"
- Bore 3/4" x 13/4"

Brass

· Includes sheet metal screws.

| 3 | 2 | n |
|---|---|---|
| | | |
| | 0 | Ň |
| | 0 | |



| ncludes sl | neet | | | |
|------------|---------|---------|--------|------|
| netal scre | WS. | Price | each | |
| Finish | Item | 1-9 | 10-19 | 20+ |
| Chrome | 335B26 | \$10.78 | \$9.70 | Call |
| Satin Chr. | 335B26D | 10.78 | 9.70 | Call |

9.70 Call

10.78

Roller Catch 336 Series

- Smooth, positive latching action insured by powerful conical spring.
- Durable nylon roller insures quiet operation.
- Adjustable tension.
- Easily installed on thin doors.
- Strike 21/4" x 7/8", Lip 11/8" to Center
- Face plate 21/4" x 1/8"
- Bore 3/4" x 13/4"
- Includes sheet metal screws

| | 11100 | Cucii | |
|---------|-------------------|---|--|
| Item | 1-9 | 10-19 | 20+ |
| 336B26D | \$10.78 | 9.70 | Call |
| 336B26 | 10.78 | 9.70 | Call |
| 336B3 | 10.78 | 9.70 | Call |
| | 336B26D 336B26 | Item 1-9 336B26D \$10.78 336B26 10.78 | 336B26D \$10.78 9.70 336B26 10.78 9.70 |

Price each

Adjustable Ball Catch 345 Series

- · Ideal for cabinets and small interior doors.
- Free rolling ball insures smooth, positive and trouble-free action.
- · Adjustable threaded barrel compensates for various clearances of doors.
- Strike .1½" x 25/32", Lip ¹³/₃₂" to Center
- Face plate 11/2" x 3/4"
- Bore \(\frac{9}{16} \)" x \(\frac{7}{8} \)"
- · Includes screws.





| | Price each | | | |
|------------|------------|--------|--------|------|
| Finish | Item | 1-9 | 10-19 | 20+ |
| Brass | 345B3 | \$6.86 | \$6.17 | Call |
| Chrome | 345B26 | 6.86 | 6.17 | Call |
| Satin Chr. | 345B26D | 6.86 | 6.17 | Call |

Dual Adjustable Ball Catch 346 Series

· For catch in jamb installations.

335B3

- · Dual adjustment for door clearance and holding strength.
- Narrow strike is designed for use where strike is mounted in the door.
- Strike 21/8" x 11/16", Lip %16" to Center
- Face plate 2½" x 1"
- Bore 7/8" x 11/4"
- · Includes screws.





| | | Price each | | | |
|------------|---------|------------|--------|------|--|
| Finish | Item | 1-9 | 10-19 | 20+ | |
| Chrome | 346B26 | \$10.08 | \$9.07 | Call | |
| Satin Chr. | 346B26D | 10.08 | 9.07 | Call | |
| Brass | 346B3 | 10.08 | 9.07 | Call | |

Dual Adjustable Ball Catch 347 Series

- · For catch in door installations.
- Dual adjustment for door clearance and holding strength.
- Lip strike is especially designed for use where strike is mounted in the jamb.
- Strike 21/8" x 13/8", Lip 1/8" to Center
- Face plate 21/8" x 1"
- Bore ⁷/₈" x 1¹/₄"
- · Includes screws.





| | | Price | each |
|------------|---------|---------|-------------|
| Finish | Item | 1-9 | 10-19 20+ |
| Chrome | 347B26 | \$10.08 | \$9.07 Call |
| Satin Chr. | 347B26D | 10.08 | 9.07 Call |
| Brass | 347B3 | 10.08 | 9.07 Call |

- Check out Decorative Knobs & Pulls
- Check out Production & Finishing Materials

Friction Casement Adjuster

- Packaged with screws.
- Securely holds casement window in any position.
- Friction construction allows flexible positions without manual adjustment.
- Can also be used to hold cabinet lids in various adjustable positions.
- Projection 1", 15-20 lbs of friction.
- Tube ¾" x ½"



| | | Max. | | Price | each |
|-----------|-----|-------|------------|---------|---------|
| Finish | L. | Open. | Item | 1-19 | 20+ |
| Brass | 10" | 105° | 287B3-10 | \$41.22 | \$38.54 |
| Sat. Chr. | 12" | 110° | 287B26D-12 | 48.62 | 45.46 |

Friction Casement Adjuster

- · Packaged with screws.
- Securely holds casement window in any position.
- Friction construction allows flexible positions without manual adjustment.
- Features positive locking.
- Can be used to adjust cabinet lids and drafting table tops.
- Projection 1", Maximum opening: 105°
- Tube 3/8" x 5/8"



| Lbs. of | | | Price | each | |
|---------|-----|-------|----------|---------|---------|
| Finish | L. | Fric. | Item | 1-19 | 20+ |
| Brass | 10" | 15 | 288B3-10 | \$56.08 | \$52.43 |

Wall Door Stop

- 1" diameter. %6" projection.
- · Compact size.
- · Concealed mounting.
- · Convex gray rubber bumper
- Includes: Sheet metal screws, Rawl plug, Brads.



| | | Price | eacn |
|------------|---------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Chrome | 404B26 | \$4.95 | Call |
| Satin Chr. | 404B26D | 4.95 | Call |
| Brass | 404B3 | 4.95 | Call |

Concave Wall Door Stop with Plastic Anchor

- 27/16" diameter. 15/16" projection.
- Concave rubber permits knob to strike stop without damaging or engaging lock mechanism.
- · Factory assembled backplate.
- · Concealed mounting.
- · Includes wood screw and plastic anchor.
- Easy installation by inserting screw through small hole in rubber.



| | | Price | each |
|--------|------------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Chrome | 406-1/2B26 | \$4.41 | Call |

Convex Wall Door Stop with Plastic Drywall Anchor

- 27/16" diameter. 15/16" projection.
- Factory assembled backplate.
- · Concealed mounting.
- · Includes plastic drywall anchor and screw.
- Easy installation by inserting screw through small hole in rubber.



| | | Price | each |
|------------|---------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Chrome | 407B26 | \$4.41 | Call |
| Satin Chr. | 407B26D | 4.41 | Call |
| Brass | 407B3 | 4.41 | Call |

Concave Wall Door Stop with Plastic Drywall Anchor

- 27/16" diameter. 15/16" projection.
- Includes plastic drywall anchor and screw.
- Concave rubber permits knob to strike stop without damaging or engaging lock mechanism.
- Easy installation by inserting screw through small hole in rubber.
- Factory assembled backplate.
- · Concealed mounting.



 Finish
 Item
 1-19
 20+

 Brass
 407-1/2B3
 \$4.41
 Call

 Brass
 407-1/2B26D
 4.41
 Call

Floor Door Stop

- 1" high
- · For doors without threshold.
- Gray, non-marring rubber bumper.
- Includes wood screw and plastic anchor.



| | | Price | each |
|------------|---------|--------|------|
| Finish | Item | 1-29 | 30+ |
| Chrome | 436B26 | \$5.67 | Call |
| Satin Chr. | 436B26D | 5.67 | Call |
| Brass | 436B3 | 5.67 | Call |
| Sat. Brass | 436B4 | 5.67 | Call |
| Sat. Alum | 436PA28 | 5.67 | Call |

Riser for use with door stop 436

- %" high
- For conversion of floor door stops to carpet installation.
- Includes #14 x 2½" F.H. wood screws, lead shield and ½" dia. long stud.



| | | Price | each |
|--------|-----------|--------|------|
| Height | Item | 1-19 | 20+ |
| 1/4" | 435A-1/4" | \$4.55 | Call |
| 1/2" | 435A-1/2" | 4.55 | Call |
| 1" | 435A-1" | 4.55 | Call |

Floor Door Stop

- 1%" high
- For doors with threshold or undercut doors.
- Gray, nonmarring rubber bumper.
- Includes wood screw and plastic anchor.



| | | Price | each |
|------------|---------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Chrome | 438B26 | \$5.95 | Call |
| Satin Chr. | 438B26D | 5.95 | Call |
| Brass | 438B3 | 5.95 | Call |
| Sat. Brass | 438B4 | 5.95 | Call |
| Sat. Alum | 438PA28 | 5.95 | Call |

Door & Window Accessories



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Heavy Duty Wall Stop & Holder

- · Heavy duty for high traffic areas.
- Resilient, nonmarring rubber tip.
- Base dia. 2¹/₄" Projection 3⁵/₈"

Includes wood screws.



Finish 1-19 20+ Item Sat. Chrome 449B26D \$38.62 Call 449B3 38.62 Call

Heavy Duty Wall Door Stop



Price each 1-19 20+ Call

Brass 447B3 \$21.14

Heavy Duty Floor Door Stop

- · Packed with wood screws.
- Designed for commercial applications.
- · Nonmarring rubber tip.
- · Accommodates doors undercut up to 21/2"
- Base dia. 21/2"
- · Height 3"



| | | Price | each | |
|-------------|---------|---------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Brass | 448B3 | \$28.37 | Call | |
| Sat. Chrome | 448B26D | 28.37 | Call | |
| | | | | |

Door Holder

- · Packed with sheet metal screws.
- Rugged construction for commercial applications.
- Door stays open in desired position.
- Replaceable rubber tip.
- Stainless steel spring.
- Foot operated.
- Arm length 4"



| | | | Price | each |
|--------|------------|-----------|---------|------|
| Height | Finish | Item | 1-19 | 20+ |
| 4" | Satin Chr. | 452B26D-4 | \$29.64 | Call |
| 4" | Brass | 452B3-4 | 29.64 | Call |
| 5" | Satin Chr. | 452B26D-5 | 34.82 | Call |
| 5" | Brass | 452B3-5 | 34.82 | Call |
| | | | | |

Plunger Type Holder

- Cast bronze body
- Popular hold open mechanism, designed to hold door open in virtually any position.
- Plunger activates with minimal pressure. Releases with light tap
- Non-marring rubber shoe
- 5%" O.A. height plus 11/4" throw.



Price each 1-19 20+

Finish Item Satin Chrome 1154-US26D \$52.00 Call

Hinge Pin Door Stops

- For use on hinged doors where the installation of a standard door stop is not desirable
- Designed for narrow trim installation.
- Replaceable nonmarring rubber tips.
- Removable bushings accommodate 1/4" to 5/16" diameter hinge-pins.
- Door opening adjustments 85° to 125°
- · Easy installation.



| | | Price | each |
|-------------|-------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Nickel | 70A14 | \$2.39 | Call |
| Brass Plate | 70A3 | 2.39 | Call |

Heavy Duty Floor Stop & Holder

- · Resilient, nonmarring rubber tip.
- · Accommodates doors undercut up to 21/2"
- Designed for high traffic areas in commercial applications.
- Base dia. 2½"
- Height 35/8"
- Includes expansion shield & lead shield.



| | | Price each | | |
|------------|---------|------------|------|--|
| inish | Item | 1-19 | 20+ | |
| Satin Chr. | 446B26D | \$43.71 | Call | |
| Brass | 446B3 | 43.71 | Call | |

Heavy Duty Floor Stop & Holder

- Packed with wood screws.
- Designed for high traffic areas in commercial applications.
- Resilient, nonmarring rubber tip.
- Accommodates doors undercut up to 21/2"
- Base dia. 21/2"
- Height 35/8"



| | | Price each | |
|------------|---------|------------|------|
| Finish | Item | 1-19 | 20+ |
| Satin Chr. | 450B26D | \$44.89 | Call |
| Chrome | 450B26 | 44.89 | Call |
| Pol. Brass | 450B3 | 44.89 | Call |

Base Door Stops

- · One piece with replaceable rubber tip.
- Available in three projection sizes to accommodate varying areas of

| installation and door trim dimensions 🚜 | | | | | |
|---|---------------------------------|---------|-------------|--|--|
| Price each | | | | | |
| Finish | Proj. | Item | 1-19 20+ | | |
| Brass Plate | 33/4" | 60A3 | \$3.27 Call | | |
| Nat. Alum. | 33/4" | 60A92 | 3.27 Call | | |
| Chrome | 33/4" | 60MB26 | 10.59 Call | | |
| Satin Chr. | 33/4" | 60MB26D | 10.59 Call | | |
| Brass Plate | 3" | 61A3 | 2.89 Call | | |
| Nat. Alum. | 3" | 61A92 | 2.89 Call | | |
| Chrome | 3" | 61MB26 | 6.84 Call | | |
| Satin Chr. | 3" | 61MB26D | 6.84 Call | | |
| Brass | 3" | 61MB3 | 6.84 Call | | |
| Nat. Alum. | 4 ³ / ₄ " | 62A92 | 3.90 Call | | |
| Satin Chr. | 43/4" | 62MB26D | 12.11 Call | | |
| Brass | 4 ³ / ₄ " | 62MB3 | 12 11 Call | | |



Base Door Stop

- Replaceable rubber tip.
- Base dia. 1%"
- Projection 3¾"
- · Includes sheet metal screws



Traditional Coat & Hat Hook

- · All-purpose hook in traditional design.
- Base 1³/₄"H x 1⁷/₃₂" W
- Projection 3"
- · Includes screws.



| | Price eac | | |
|--------------|-----------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Nickel Plate | 571A14 | \$2.99 | Call |
| Brass Plate | 571A3 | 2.99 | Call |
| Dull Chrome | 571MB26D | 6.88 | Call |
| Rrace | 571MR3 | 6.88 | Call |

Upturn Coat & Hat Hook

- Step-up decorative version of our traditional cast aluminum.
- Ideal for locations where additional strength is required.
- Projection 31/16"
- · Includes screws.



| | | Price | each | |
|------------------------------------|----------|-------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Base dimension 17/16"H x 115/32" W | | | | |
| Chrome | 572MB26 | 9.50 | Call | |
| Satin Chr. | 572MB26D | 9.50 | Call | |
| Brass | 572MB3 | 9.50 | Call | |

Wardrobe Hooks

Double Hook

- · Compact hook is perfect where space is limited, ideal for behind doors where low profile is desired.
- Base 11/8"H x 11/8" W





| | | Price | each |
|-------------|--------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Brass Plate | 582A3 | \$2.99 | Call |
| Nat. Alum. | 582A92 | 2.99 | Call |
| Brass | 582MB3 | 5.46 | Call |

Wide Body Coat & Hat Hook

- Wide body design withstands rough duty in public buildings, schools & dormitories.
- Base 11/2"H x 7/8" W
- Projection 2½"
- Includes screws.



Contemporary Coat & Hat Hook

2.99

Call

- Decorative design for commercial and residential installations.
- Base 15/8"H x 13/4" W

Nat. Alum. 405A92

- Height 5"
- Projection 3¾"
- Includes screws



| | | 11100 | Cacii |
|---------------|-----------------|--------|-------|
| Finish | Item | 1-19 | 20+ |
| Chrome Plated | d 574A26 | \$5.65 | Call |
| Brass Plated | 574A3 | 5.65 | Call |
| Chrome | 574B26 | 22.11 | Call |
| Brass | 574B3 | 22.11 | Call |
| | | | |

Single Hook

- Compact hook is perfect where space is limited, ideal for behind doors where low profile is desired.
- Base 1½"H x 1½" W
- Projection 111/16"
- Includes screws.



| | | each | |
|-------------|----------|--------|------|
| Finish | Item | 1-19 | 20+ |
| Brass Plate | 581A3 | \$2.99 | Call |
| Nat. Alum. | 581A92 | 2.99 | Call |
| Chrome | 581MB26 | 4.62 | Call |
| Satin Chr. | 581MB26D | 4.62 | Call |
| Solid Brass | 501MR3 | 4.62 | Call |

Kick Plates & Push Plates

- · Beveled four sides unless specified.
- Individually packed with stainless steel sheet metal screws, plated to match finish





- Bommer enjoys a reputation as one of the oldest and most proficient manufacturers of Postal Service-approved mailboxes.
- Models carrying the Bommer trademark have become the standard for multiple dwelling units: apartment houses, condominiums, dormitories and other institutional-type facilities.



Door & Window Accessories



Phone Ordering: 718-726-8000 Fax Your Order: 718-726-3453

Hand Rail Bracket For Commercial Applications

- Exceeds OSHA and BHMA strength test requirements
- · Base dia. 3
- · Base to center of rail: 3%"



· Includes toggle bolt and screws.

| | | Price each | |
|------------|--------|------------|------|
| Finish | Item | 1-19 | 20+ |
| Nat. Alum. | 158A92 | \$9.05 | Call |
| Brass | 158A3 | 9.05 | Call |



 Includes square head iron lag screw, expansion shield and screws.

| | | Price | each |
|--------|-------|---------|------|
| Finish | Item | 1-19 | 20+ |
| Brass | 159A3 | \$11.99 | Call |

Bar Window Lifts

- · Packed with screws.
- Facilitates opening of window in a safe manner.
- Can also be used as drawer or utility pull.
- 5"W x 1¾" H. Projection 1¼"
- Solid Brass



| | Price ea | | each |
|---------------|----------|---------|------|
| Finish | Item | 1-19 | 20+ |
| Polished Chr. | 27MB26 | \$15.28 | Call |

Window /Table Lock

- · Packed with screws.
- Spring actuated lever provides positive direct pull which pulls rails together
- · Stops rattles and drafts.
- When unlocking, lever automatically returns to opened position
- Base 13/8" x 25/16"



| | | Price eac | | |
|--------|------|-----------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Brass | 4B3 | \$10.92 | Call | |

Window Lock

- · Packed with screws.
- Designed low to the sash for superior strength and greater resistance to breakage.
- Vertical and horizontal camming action for snug, non-rattling fit.
- Base 15/16"x 25/8"
- Strike 5/8" x 25/8"



 Finish
 Item
 1-19
 20+

 Aluminum
 07A92
 \$3.68
 Call

 Brass
 07MB3
 11.50
 Call

Window Lock

- · Packed with screws.
- Designed low to the sash for superior strength and greater resistance to breakage.
- Vertical and horizontal camming action for snug, non-rattling fit.
- Heavy gauge springs provide long-wearing action.
- Base 11/16" x 3"
- Strike 5/8" x 3"



 Finish
 Item
 1-19
 20+

 Brass
 9MB3
 \$20.11
 Call

Casement Fasteners

- For use on windows to provide weather tight fastening and security.
- Base 15/8" x 7/8"
- Projection 1³/₈"
- · Includes mortise strike and screws.



| | | Price each | | |
|------------|---------|------------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Satin Chr. | 066B26D | \$21.79 | Call | |
| Brass | 066B3 | 21.79 | Call | |

Shutter Bars

- · Ideal for bi-fold doors and shutters.
- Shoulder rivet insures easy free swinging bar.
- Rugged construction.
- Base ⁷/₈" x 1¹/₂"
- Projection ⁷/16"
- · Includes brass oval head screws.



| Hook | | Price each | | |
|---------|------|------------|---------|----------|
| | | | | Finish C |
| Brass | 1%" | 31B3 | \$18.26 | Call |
| Dol Chr | 136" | 21D24 | 10 24 | Call |

Transom Catch

- · Rugged construction.
- Independent latch action; transom can be closed by pushing directly on ring.
- Reversible; latch bolt can be easily reversed by removing back plate.
- Narrow base for 1¹/₄" rail.
- Size 2¹/₄" x 1¹/₄"
- Latch throw 5/16"
- Includes universal strike and screws.

| | | Price each | | |
|-------------|-------|------------|------|--|
| Finish | Item | 1-19 | 20+ | |
| Brass Plate | 80A3 | \$7.02 | Call | |
| Nat. Alum. | 80A92 | \$7.02 | Call | |